

# **EINHELL. CORDLESS EXCELLENCE.**

THE BATTERY SYSTEM FOR CORDLESS FREEDOM FOR POWER TOOLS AND GARDEN.





| Power X-Change                     | 3  |
|------------------------------------|----|
| The Einhell Guarantee Promise      | 10 |
| Power Tools                        | 11 |
| Cordless Drills                    | 12 |
| Cordless Impact Drills             | 17 |
| Cordless Impact Wrenches           | 20 |
| Cordless Impact Drivers            | 21 |
| Cordless Drywall Screwdriver       | 22 |
| Cordless Impact Drill              | 23 |
| Cordless Rotary Hammers            | 24 |
| Cordless Paint/Mortar Mixer        | 26 |
| Cordless Angle Grinders            | 27 |
| Cordless Planer                    | 31 |
| Cordless Mini Circular Saw         | 31 |
| Cordless Circular Saws             | 32 |
| Cordless Jigsaws                   | 33 |
| Cordless All Purpose Saws          | 34 |
| Cordless Sliding Mitre Saw         | 36 |
| Cordless Mitre Saw                 | 36 |
| Cordless Table Saw                 | 37 |
| Cordless Tile Cutting Machine      | 37 |
| Cordless Multifunctional Tools     | 38 |
| Cordless Rotating Sander           | 39 |
| Cordless Multi Sander              | 39 |
| Cordless Orbital Sanders           | 40 |
| Cordless Drywall Polisher          | 41 |
| Cordless Car Polishing Machine     | 42 |
| Cordless Polishing/Sanding Machine | 42 |
| Cordless Blower                    | 43 |
| Cordless Paint Spray System        | 43 |
| Cordless Hot Glue Gun              | 44 |

| Cordless Hot Air Gun                 | 44 |
|--------------------------------------|----|
| Cordless Nailer                      | 45 |
| USB Battery Adapter                  | 45 |
| Cordless Lights                      | 46 |
| Cordless Radio                       | 48 |
| Cordless Speaker                     | 48 |
| Accessories – Cases // Bag           | 49 |
| System Cases E-Case                  | 50 |
| Cordless Wet and Dry Vacuum Cleaners | 52 |
| Cordless Stick Vac Cleaner           | 54 |
| Cordless Handheld Vacuum Cleaner     | 56 |
| Cordless Ash Vacuum Cleaner          | 56 |
| Cordless Push Sweeper                | 5  |
| 6-in-1 Cordless Hybrid Compressor    | 58 |
| Cordless Compressor                  | 58 |
| Cordless Car Compressor              | 59 |
| Cordless Air Pump                    | 59 |
| Garden Tools                         | 60 |
| Robot Lawn Mowers                    | 60 |
| Cordless Lawn Mowers                 | 64 |
| Cordless Push Reel Mower             | 7  |
| Petrol Lawn Mower                    | 72 |
| (Power X-Change Electric Start)      |    |
| Cordless Scarifiers/Aerators         | 73 |
| Cordless Universal Spreader          | 74 |
| Cordless Tillers                     | 75 |
| Cordless Earth Auger                 | 76 |
| Cordless Snow Thrower                | 76 |
| Cordless Scythes                     | 7  |
| Cordless Lawn Trimmers               | 78 |
|                                      |    |

| Cordless Grout Cleaner                             | 82  |
|--|-----|
| Cordless Surface Brush                             | 83  |
| Cordless Hedge Trimmers                            | 84  |
| Cordless Multifunctional Tools                     | 88  |
| Cordless Pole-Mounted Pruners                      | 90  |
| Cordless Telescopic Hedge Trimmers                 | 91  |
| Cordless Chainsaws                                 | 92  |
| Cordless Chain Sharpener                           | 94  |
| Cordless Leaf Vacuums                              | 95  |
| Cordless Leaf Blowers                              | 96  |
| Cordless Universal Blower                          | 98  |
| Cordless Pruning Saw                               | 99  |
| Cordless Pruning Shears                            | 99  |
| Cordless Grass and Shrub Shears                    | 100 |
| Cordless Grass Shears                              | 101 |
| Cordless Pressure Sprayers                         | 102 |
| Battery Belt                                       | 103 |
| Cordless Garden Pump                               | 104 |
| Cordless Submersible/Rain Barrel Pump              | 104 |
| Cordless Clear Water Pumps                         | 105 |
| Gas Hot Air Generator with<br>Rechargeable Battery | 106 |
|  | 107 |
| E-Kickscooter ELMOTO KICK                          | 107 |
| Accessories  | 108 |
| Batteries  | 108 |
| Twin Packs   | 110 |
| Starter Kits                                       | 111 |
| Chargers   | 112 |
| Service  | 116 |









# CORDLESS FREEDOM. FOR TOOL AND GARDEN.

#### At last - no more too short or severed cables.

When you have no longer to worry about extension cables that are too short or sufficient sockets. When the device comes to the proiect instead of the other way round. When you simply insert the battery and are ready to go, whether it is a lawn mower, garden pump, rotary hammer or wet and dry vacuum cleaner. Than that is the feeling of cordless freedom.





# LATEST TECHNOLOGY. PROVEN QUALITY.

### So you can enjoy using your machine for a very long time.

The Power X-Change batteries are the centerpiece of the platform. That is why we use only the best components such as high-performance Li-Ion cells and our intelligent ABS battery electronics in the batteries. This makes our PXC battery one of the safest in the industry and ensures efficiency, reliability and durability. Stiftung Warentest (11/2020 issue) confirmed its quality in a comparison test with eight batteries from eight different battery platforms. The 2.0 Ah battery from the Power X-Change battery system from Einhell beat off stiff competition to emerge as test winner.





# POWERFUL MACHINES. LONG-LASTING BATTERIES.

No matter how large your project – Power X-Change won't let you down.

Less power? No way!

As a battery system for real enablers, our cordless machines offer up to 2700 Watt of battery power and 8 Ah of capacity, making them easily a match for corded machines! Whether you just want to hang a shelf or drill through a solid concrete wall, with Power X-Change you are equipped to meet any challenge with power and endurance.





# 1 BATTERY. 1000 POSSIBILITIES. FOR DIY ENTHUSIASTS AND HOBBY GARDENERS.

Just as versatile as you: Battery power for every situation.

Power X-Change is the first rechargeable battery system that provides hobby gardeners and DIY enthusiasts alike with an unrivaled selection of cordless tools. The PXC family already contains over 200 devices – and the number is constantly rising. Thanks to the versatile Power X-Change system, for instance, the electric kick scooter from GOVECS is "powered by Power X-Change".







# **ACTIVE BATTERY MANAGEMENT SYSTEM.** INTELLIGENT ELECTRONIC CONTROL SYSTEM.

The computer-assisted Active Battery Management System permanently monitors and controls all the safety-related processes of the electrical components and associated hardware. This results in a whole range of advantages:

- MAXIMISED RUNNING TIMES
- **OPTIMISED TOOL POWER**
- I ONGER BATTERY SERVICE LIFE
- INCREASED SAFETY







# TWIN-PACK® TECHNOLOGY. 18V + 18V = 36V

If a device needs more power than provided by a single 18 V rechargeable battery, we simply add a second battery so we generate 18 V + 18 V = 36 V. We call that Twin-Pack<sup>©</sup> Technology. If the voltage (V) gets doubled, the power (W) gets doubled, too.

Double Twin-Pack Technology in turn makes it possible to work for even longer still without the nuisance of recharging. In this case, four rechargeable batteries are used. When the power of the first two batteries finally runs out, the system automatically switches over to the two additional batteries.



# **POWER X-CHANGE PLUS.**

Rechargeable batteries vary not just in terms of running time and weight. What is also critically important is the power that they provide. Power X-Change PLUS Technology makes more

power x-change PLOS Technology makes more power available from the same number of cells, so that you can work with plenty of power even on challenging applications as well.

**PLUS** 

**EXTRA POWER** 

If, for example, you want to use your angle grinder for cutting work, the running time (see Ah rating) is generally not critical. Sufficient power, on the other hand, is. A car is a useful comparison. Uphill or when overtaking, more power, in other words more hp respectively kW, is needed.







# BRUSHLESSENERGY - MORE EFFICIENT WORK.

Various Power X-Change devices are equipped with brushless motors. They offer significant advantages compared to carbon brush motor:

- MORE POWER
- LONGER RUNNING TIMES
- LONGER SERVICE LIFE
- MORE COMPACT DESIGN
- MAINTENANCE-FREE



25% more power\*

50%
more operating time\*

100% more service life

\* Approximate values in comparison to conventional carbon brush motors





"We are incredibly proud to have done so well in a race with the very top competitors and to have been able to demonstrate our battery expertise so clearly. We are battery test winners"

Andreas Kroiss, CEO Einhell Germany AG





# WE ARE TEST WINNERS. BY STIFTUNG WARENTEST.

And the test winner is... Einhell!

In the comparison test performed by Stiftung Warentest (11/2020 issue) covering eight batteries from eight different battery platforms, the 2.0 Ah battery from Einhell's Power X-Change battery system beat off stiff competition. Our battery put in a convincing performance when it came to durability, handling and safety. Having already achieved top marks with Power X-Change machines in

previous Stiftung Warentest comparisons, we are all the more delighted that one of the batteries we have spent so much time developing and refining came out of the test on top. This confirms the decision we took years ago to bundle our expertise in the battery technology sector in order to continue expanding the leading role of our Power X-Change battery system.



# THIS IS HOW: **Find out** more at einhell.de. register in your customer account and **apply** for the warranty. Further information is available at www.einhell.de/warranties einhell.de >>>

# THE EINHELL GUARANTEE PROMISE.

We develop our products so that you can make everything possible. Our priority here is functionality, safety and quality. That is our promise and this is backed up by our guarantees too.

- 30 Day Money-Back Guarantee For 100% satisfaction with your Power X-Change device.
- Power X-Change Battery Warranty Warranty extension for Power X-Change batteries to 2 years.
- Einhell 2+1 Product Warranty Warranty extension for all Einhell products to a total of 3 years.













### **TE-CD 18 Li Brushless**

**EXPERT PLUS** 

- Idle speed (gear 1 / 2): 0 500 / 0 1800 min<sup>-1</sup>
  Torque (hard): 60 Nm
  Number of torque settings: 19+1

Article only available without battery / charger / case

Art. No. 45.138.50

| 1)                      | 1.5 Ah  | 2.0 Ah  | 2.5 Ah  | 3.0 Ah  | 4.0 Ah  | 5.2 Ah  | 6.0 Ah   | 8.0 Ah   |
|-------------------------|---------|---------|---------|---------|---------|---------|----------|----------|
| <b>&gt;&gt;&gt; 2</b> ) | 265 pcs | 350 pcs | 440 pcs | 530 pcs | 700 pcs | 920 pcs | 1060 pcs | 1400 pcs |

<sup>1)</sup> Battery capacity
2) Screwing 6 x 60 mm screws into soft wood — max. quantity per battery charge



### TP-CD 18/60 Li Brushless

**PROFESSIONAL** 

- Idle speed (gear 1 / 2): 0 500 / 0 2000 min<sup>-1</sup>
- Torque (hard): 60 Nm
- Number of torque settings: 21+1

Article only available without battery / charger / case

Art. No. 45.142.10

|                         | 1.5 Ah  |         |         |         |         |         |          |          |
|-------------------------|---------|---------|---------|---------|---------|---------|----------|----------|
| <b>&gt;&gt;&gt; 2</b> ) | 265 pcs | 350 pcs | 440 pcs | 530 pcs | 700 pcs | 920 pcs | 1060 pcs | 1400 pcs |



- Brushless motor more power, prolonged operation
- 13 mm metal drill chuck
- Additional handle



### TE-CD 18/50 Li Brushless

**EXPERT PLUS** 

- Idle speed (gear 1 / 2): 0 500 / 0 1800 min<sup>-1</sup>
- Torque (hard): 50 Nm
- Number of torque settings: 19+1

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger and case E-Box Basic Art. No. 45.138.96 Without batteries / chargers / case Art. No. 45.138.87

|                        |         | 2.0 Ah  |         |         |         |         |         |          |
|------------------------|---------|---------|---------|---------|---------|---------|---------|----------|
| <b>&gt;&gt;&gt;</b> 2) | 240 pcs | 320 pcs | 400 pcs | 480 pcs | 640 pcs | 830 pcs | 960 pcs | 1280 pcs |

- Brushless motor more power, prolonged operation
- 13 mm quick-change drill chuck
- 2-speed metal gear box





 $<sup>^{9}\,</sup>$  Battery capacity  $^{2}\,$  Screwing 6 x 60 mm screws into soft wood — max. quantity per battery charge

### TE-CD 18/40 Li Brushless

**EXPERT** 

- Idle speed (gear 1 / 2): 0 350 / 0 1450 min<sup>-1</sup>
- Torque (hard): 40 Nm
- Number of torque settings: 20+1

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger and case E-Box Basic Art. No. 45.139.95

Without batteries / chargers / case

Art. No. 45.139.97

|                         |         |         |         |         |         |         |         | 8.0 Ah   |
|-------------------------|---------|---------|---------|---------|---------|---------|---------|----------|
| <b>&gt;&gt;&gt; 2</b> ) | 230 pcs | 300 pcs | 380 pcs | 450 pcs | 600 pcs | 780 pcs | 900 pcs | 1200 pcs |



- Brushless motor more power, prolonged operation
- 2-speed metal gear boxLightweight and handy design
  - BRUSHLESS

### TE-CD 18/45 3X-Li

**EXPERT** 

- Idle speed (gear 1 / 2): 0 450 / 0 1600 min<sup>-1</sup>
- Torque (hard): 45 Nm
- Number of torque settings: 21+1

Incl. 1 battery (18 V  $\mid$  2.0 Ah  $\mid$  Li-Ion), 1 charger, case E-Box Basic and 22-piece accessory set Art. No. 45.139.90

|                            | 1.5 Ah  |         |         |         |         |         |         |          |
|----------------------------|---------|---------|---------|---------|---------|---------|---------|----------|
| <b>&gt;&gt;&gt;&gt;</b> 2) | 240 pcs | 320 pcs | 400 pcs | 480 pcs | 640 pcs | 830 pcs | 960 pcs | 1280 pcs |

- Removable drill chuck
- 90° angle extension
- **■** Excenter extension





Battery capacity

<sup>&</sup>lt;sup>2)</sup> Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge



#### TE-CD 18 Li E

**EXPERT PLUS** 

- Idle speed (gear 1 / 2): 0 400 / 0 1400 min<sup>-1</sup>
- Torque (hard): 47 Nm
- Number of torque settings: 8+1

Article only available without battery / charger / case

Art. No. 45.138.70

|                        | 1.5 Ah  |         |         |         |         |         |         |          |
|------------------------|---------|---------|---------|---------|---------|---------|---------|----------|
| <b>&gt;&gt;&gt;</b> 2) | 230 pcs | 300 pcs | 380 pcs | 450 pcs | 600 pcs | 790 pcs | 900 pcs | 1200 pcs |

- Electronic torque adjustment
- 2-speed metal gear box
- LED light



### TE-CD 18/40 Li

**EXPERT** 

- Idle speed (gear 1 / 2): 0 400 / 0 1500 min<sup>-1</sup>
- Torque (hard): 40 Nm
- Number of torque settings: 20+1

Incl. 2 batteries (18 V | 2.0 Ah | Li-lon), 1 charger, case and 22-piece accessory set Art. No. 45.139.34

Incl. 2 batteries (18 V | 1.5 Ah | Li-lon), 1 charger and case

Art. No. 45.139.39

Incl. 1 battery (18 V | 2.5 Ah | Li-lon), 1 charger, case and 69-piece Art. No. 45.139.55 accessory set Art No. 45 130 25

Without batteries / chargers / case

| AIC. 110. 75.155.2 | , |
|--------------------|---|

| (IIII) 1)               | 1.5 Ah  | 2.0 Ah  | 2.5 Ah  | 3.0 Ah  | 4.0 Ah  | 5.2 Ah  | 6.0 Ah  | 8.0 Ah   |
|-------------------------|---------|---------|---------|---------|---------|---------|---------|----------|
| <b>&gt;&gt;&gt; 2</b> ) | 230 pcs | 305 pcs | 380 pcs | 460 pcs | 610 pcs | 770 pcs | 920 pcs | 1220 pcs |



- 2-speed metal gear box
- LED light
- Quick stop

 $<sup>^{9}\,</sup>$  Battery capacity  $^{2}\,$  Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge



#### TE-CD 18/2 Li

**EXPERT** 

- Idle speed (gear 1 / 2): 0 350 / 0 1250 min<sup>-1</sup>
- Torque (hard): 44 Nm
- Number of torque settings: 20+1

Incl. 2 batteries (18 V | 1.5 Ah | Li-Ion), 1 charger and case

Art. No. 45.138.30

Incl. 1 battery (18 V  $\mid$  2.5 Ah  $\mid$  Li-Ion), 1 charger, case E-Box Basic and 39-piece accessory set Art. No. 45.142.19

|                        | 1.5 Ah  |         |         |         |         |         |         |         |
|------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt;</b> 2) | 180 pcs | 240 pcs | 300 pcs | 360 pcs | 480 pcs | 625 pcs | 720 pcs | 960 pcs |

- 2-speed metal gear box
- LED light
- Belt clip



### TC-CD 18/35 Li

CLASSIC

- Idle speed: 0 550 min<sup>-1</sup>
- Torque (hard): 35 Nm
- Number of torque settings: 20+1

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger, 200-piece screw set, case E-Box Basic and 39-piece accessory set
Incl. 1 battery (18 V | 1.5 Ah | Li-Ion) and 1 charger
Without battery / charger / case
Art. No. 45.139.27
Art. No. 45.139.27

|                        |         | 2.0 Ah  |         |         |         |         |         |          |
|------------------------|---------|---------|---------|---------|---------|---------|---------|----------|
| <b>&gt;&gt;&gt;</b> 2) | 220 pcs | 295 pcs | 366 pcs | 440 pcs | 590 pcs | 760 pcs | 880 pcs | 1180 pcs |

- Battery capacity
- <sup>2)</sup> Screwing 6 x 60 mm screws into soft wood max. quantity per battery charge



- 10 mm drill chuck
- Quick stop
- LED light



# **CORDLESS IMPACT DRILLS 18 V**

### TE-CD 18 Li-i Brushless

**EXPERT PLUS** 

- Idle speed (gear 1 / 2): 0 500 / 0 1800 min<sup>-1</sup>
- Blow rate (gear 1 / 2): 0 8000 / 0 28800 min<sup>-1</sup>
- Torque (hard): 60 Nm

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger and case E-Box

Art. No. 45.138.61

Without batteries / chargers / case Art. No. 45.138.60

|                        |         |         |         |         |         |         | 6.0 Ah   |          |
|------------------------|---------|---------|---------|---------|---------|---------|----------|----------|
| <b>&gt;&gt;&gt;</b> 2) | 265 pcs | 350 pcs | 440 pcs | 530 pcs | 700 pcs | 920 pcs | 1060 pcs | 1400 pcs |



- Brushless motor more power, prolonged operation
- 13 mm metal drill chuck
- Additional handle



# TP-CD 18/60 Li-i Brushless

**PROFESSIONAL** 

- Idle speed (gear 1 / 2): 0 500 / 0 2000 min<sup>-1</sup>
- Blow rate (gear 1 / 2): 0 8000 / 0 32000 min<sup>-1</sup>
- Torque (hard): 60 Nm

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger, case E-Box Basic and 39-piece accessory set Art. No. 45.142.06 Without batteries / chargers / case Art. No. 45.142.05

| _                       |         |         |         |         |         |         | 6.0 Ah   |          |
|-------------------------|---------|---------|---------|---------|---------|---------|----------|----------|
| <b>&gt;&gt;&gt; </b> 2) | 265 pcs | 350 pcs | 440 pcs | 530 pcs | 700 pcs | 920 pcs | 1060 pcs | 1400 pcs |

- Brushless motor –
- more power, prolonged operation 13 mm metal drill chuck
- Additional handle





 $<sup>^{9}\,</sup>$  Battery capacity  $^{2}\,$  Screwing 6 x 60 mm screws into soft wood — max. quantity per battery charge



# **CORDLESS IMPACT DRILLS 18 V**

### TE-CD 18/50 Li-i Brushless

**EXPERT PLUS** 

- Idle speed (gear 1 / 2): 0 500 / 0 1800 min<sup>-1</sup>
- Blow rate (gear 1 / 2): 0 8000 / 0 28800 min<sup>-1</sup>
- Torque (hard): 50 Nm

Incl. 2 batteries (18 V | 2.0 Ah | Li-lon), 1 charger, case E-Case and 39-piece accessory set Art. No. 45.139.69

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger and case E-Box Basic Art. No. 45.139.40

Without batteries / chargers / case

Art. No. 45.139.42

|                        |         |         |         |         |         |         |         | 8.0 Ah   |
|------------------------|---------|---------|---------|---------|---------|---------|---------|----------|
| <b>&gt;&gt;&gt;</b> 2) | 240 pcs | 320 pcs | 400 pcs | 480 pcs | 640 pcs | 830 pcs | 960 pcs | 1280 pcs |

- Brushless motor more power, prolonged operation
- 13 mm metal drill chuck
- 2-speed metal gear box





### TE-CD 18/48 Li-i

**EXPERT** 

- Idle speed (gear 1 / 2): 0 400 / 0 1500 min<sup>-1</sup>
- Blow rate (gear 1 / 2): 0 6400 / 0 24000 min<sup>-1</sup>
- Torque (hard): 48 Nm

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger and case E-Box Basic Art. No. 45.139.35

Without battery / charger / case

Art. No. 45.139.26

|                        |         |         |         |         |         |         |         | 8.0 Ah   |
|------------------------|---------|---------|---------|---------|---------|---------|---------|----------|
| <b>&gt;&gt;&gt;</b> 2) | 230 pcs | 310 pcs | 380 pcs | 460 pcs | 620 pcs | 780 pcs | 910 pcs | 1240 pcs |



- 13 mm metal drill chuck
- Additional handle
- LED light

<sup>&</sup>lt;sup>2)</sup> Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge



# **CORDLESS IMPACT DRILLS 18 V**

#### TE-CD 18/40 Li-i

**EXPERT** 

- Idle speed (gear 1 / 2): 0 400 / 0 1500 min<sup>-1</sup>
- Blow rate (gear 1 / 2): 0 6400 / 0 24000 min<sup>-1</sup>
- Torque (hard): 40 Nm

Incl. 2 batteries (18 V|2.0 Ah|Li-lon), 1 charger, case and 64-piece Art. No. 45.139.92 accessory set

|                        | 1.5 Ah  |         |         |         |         |         |         |          |
|------------------------|---------|---------|---------|---------|---------|---------|---------|----------|
| <b>&gt;&gt;&gt;</b> 2) | 230 pcs | 305 pcs | 380 pcs | 460 pcs | 610 pcs | 770 pcs | 920 pcs | 1220 pcs |



- 13 mm metal drill chuck
- 2-speed metal gear box
- LED light

### TE-CD 18/2 Li-i

**EXPERT** 

- Idle speed (gear 1 / 2): 0 350 / 0 1250 min<sup>-1</sup>
- Blow rate (gear 1 / 2): 0 5250 / 0 18750 min<sup>-1</sup>
- Torque (hard): 44 Nm

Incl. 2 batteries (18 V|2.0 Ah|Li-lon), 1 charger, case and 64-piece Art. No. 45.142.21 accessory set

Incl. 1 battery (18 V | 2.5 Ah | Li-lon), 1 charger, case E-Box Basic and 22-piece accessory set Art. No. 45.142.20

|                        |         | 2.0 Ah  |         |         |         |         |         |         |
|------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt;</b> 2) | 180 pcs | 240 pcs | 300 pcs | 360 pcs | 480 pcs | 625 pcs | 720 pcs | 960 pcs |

- 13 mm metal drill chuck
- 2-speed metal gear box
- LED light



 $<sup>^{9}\,</sup>$  Battery capacity  $^{2}\,$  Screwing 6 x 60 mm screws into soft wood — max. quantity per battery charge



# **CORDLESS IMPACT WRENCHES 18 V**

#### **IMPAXXO 18/400**

### **PROFESSIONAL**

- Idle speed: 0 1000 min<sup>-1</sup> / 0 1500 min<sup>-1</sup> / 0 2000 min<sup>-1</sup>
- Torque (hard): 400 Nm
- Mount: external square drive mount 12.5 mm (½") incl. bit adapter and 3-piece nut-set

Article only available without battery / charger / case

Art. No. 45.100.70

|                         |        |        |        |        |         | 5.2 Ah  |         |         |
|-------------------------|--------|--------|--------|--------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt; </b> 2) | 40 pcs | 55 pcs | 68 pcs | 80 pcs | 110 pcs | 140 pcs | 160 pcs | 220 pcs |

For best performance select a battery with at least 2.5 Ah

- Brushless motor more power, prolonged operation
- Very high torque suitable for changing tyres
- 3 torque settings





## **TE-CW 18 Li Brushless**

**EXPERT PLUS** 

- Idle speed: 0 2900 min<sup>-1</sup>
- Torque (hard): 215 Nm
- Mount: external square drive mount 12.5 mm (½") incl. bit adapter

Article only available without battery / charger / case

Art. No. 45.100.40

|                         |        | 2.0 Ah  |         |         |         |         |         |         |
|-------------------------|--------|---------|---------|---------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt; </b> 2) | 75 pcs | 100 pcs | 125 pcs | 150 pcs | 200 pcs | 260 pcs | 300 pcs | 400 pcs |

For best performance select a battery with at least 2.5 Ah



- Brushless motor more power, prolonged operation
- Very high torque suitable for changing tyres
- 1/2" external square drive mount



Max. number of wheel bolts (hexagon head, wrench size 22 mm) that can be screwed in and out per battery charge



# **CORDLESS IMPACT DRIVERS 18 V**

### **TE-CI 18 Li Brushless**

**EXPERT PLUS** 

- Idle speed: 0 2900 min<sup>-1</sup>
- Torque (hard): 180 Nm
- Mount: internal hexagon 6.35 mm (¼")

Article only available without battery / charger / case

Art. No. 45.100.30

|                        | 1.5 Ah  |         |         |         |         |         |         |          |
|------------------------|---------|---------|---------|---------|---------|---------|---------|----------|
| <b>&gt;&gt;&gt;</b> 2) | 210 pcs | 280 pcs | 350 pcs | 420 pcs | 560 pcs | 730 pcs | 840 pcs | 1120 pcs |

For best performance select a battery with at least 2.5 Ah



- Brushless motor more power, prolonged operation
- Short and lightweight design
- High torque



### TE-CI 18/1 Li

**EXPERT PLUS** 

- Idle speed: 0 2300 min<sup>-1</sup>
- Torque (hard): 140 Nm
- Mount: internal hexagon 6.35 mm (¼")

Article only available without battery / charger / case

Art. No. 45,100,34

| (IIII) 1)               | 1.5 Ah  | 2.0 Ah  | 2.5 Ah  | 3.0 Ah  | 4.0 Ah  | 5.2 Ah  | 6.0 Ah  | 8.0 Ah  |
|-------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt; </b> 2) | 140 pcs | 185 pcs | 230 pcs | 280 pcs | 370 pcs | 520 pcs | 560 pcs | 740 pcs |

- Short design 3 power LEDs
- Belt clip



 $<sup>^{9}\,</sup>$  Battery capacity  $^{2}\,$  Max. number of wheel bolts (hexagon head, wrench size 22 mm) that can be screwed in and out per battery charge





# **CORDLESS DRYWALL SCREWDRIVER 18 V**



### TE-DY 18 Li

**EXPERT** 

- Idle speed: 0 4000 min<sup>-1</sup>
- Torque (soft): 6 Nm
   Bit mount: internal hexagon 6.35 mm (¼")

Article includes case E-Box but no battery / charger

Art. No. 42.599.80

|                        |         | 2.0 Ah   |          |          |          |          |          |          |
|------------------------|---------|----------|----------|----------|----------|----------|----------|----------|
| <b>&gt;&gt;&gt;</b> 2) | 800 pcs | 1100 pcs | 1350 pcs | 1600 pcs | 2200 pcs | 2800 pcs | 3300 pcs | 4400 pcs |

Battery capacity
 Screwing 3.9 x 25 mm screws into drywall – max. quantity per battery charge

# **CORDLESS IMPACT DRILL 18 V**



# TC-ID 18 Li

CLASSIC

- Idle speed: 0 2600 min<sup>-1</sup>
- Blow rate: 0 41600 min<sup>-1</sup>
- Drilling capacity, cement: 13 mm

Article only available without battery / charger / case

Art. No. 45.139.60

|                         |        | 2.0 Ah |        |        |         |         |         |         |
|-------------------------|--------|--------|--------|--------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt; </b> 2) | 45 pcs | 60 pcs | 75 pcs | 90 pcs | 120 pcs | 156 pcs | 180 pcs | 240 pcs |



Battery capacity
 Drilling in red brick with 6 mm / 50 mm drill – max. quantity per battery charge



# **CORDLESS ROTARY HAMMER 36 V**

#### **HEROCCO 36/28**

**EXPERT PLUS** 

Idle speed: 0 - 1100 min<sup>-1</sup>

■ Impact force: 3.2 |

Drilling capacity, cement: 28 mm

■ Drill chuck: SDS-plus

Article includes case E-Box but no battery / charger

Art. No. 45.139.50

| <b>1)</b>              | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah |
|------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt;</b> 2) | 59     | 79     | 105    | 126    | 169    | 222    | 276    | 338    |
|                        | holes  |

For best performance select a battery with at least 3.0 Ah



- Brushless motor more power, prolonged operation
- 4 functions
- **■** Twin-Pack<sup>©</sup> Technology: 2x 18 V Power X-Change batteries more power





# **CORDLESS ROTARY HAMMERS 18 V**

### **HEROCCO 18/20**

**EXPERT PLUS** 

- Idle speed: 0 1200 min<sup>-1</sup>
- Impact force: 2.2 |
- Drilling capacity, cement: 20 mm
- Drill chuck: SDS-plus
- Incl.: magnetic bit adapter

Article includes case E-Box but no battery / charger

Art. No. 45.139.00

|                       | 1.5 Ah      | 2.0 Ah      | 2.5 Ah       | 3.0 Ah       | 4.0 Ah       | 5.2 Ah       | 6.0 Ah       | 8.0 Ah       |
|-----------------------|-------------|-------------|--------------|--------------|--------------|--------------|--------------|--------------|
| <b>&gt;&gt;&gt;</b> 2 | 250 pcs     | 335 pcs     | 417 pcs      | 500 pcs      | 670 pcs      | 870 pcs      | 1000 pcs     | 1340 pcs     |
| <b>&gt;&gt;&gt;</b> 3 | 65<br>holes | 87<br>holes | 108<br>holes | 130<br>holes | 174<br>holes | 225<br>holes | 260<br>holes | 348<br>holes |

For best performance select a battery with at least 3.0 Ah



- - more power, prolonged operation
- 4+1 functions
- Vibration-cushioned handle



<sup>1)</sup> Battery capacity (HEROCCO 36/28: 2x batteries required)

<sup>&</sup>lt;sup>2)</sup> Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

<sup>3) 6</sup> mm / 50 mm in concrete – max. quantity per battery charge



# **CORDLESS ROTARY HAMMERS 18 V**

#### TE-HD 18/12 Li

**EXPERT** 

Idle speed: 0 - 1300 min<sup>-1</sup>

■ Impact force: 1.3 |

Drilling capacity, cement: 12 mm

■ Drill chuck: SDŚ-plus

■ Incl.: magnetic bit adapter

Article only available without battery / charger / case

Art. No. 45.139.70

| <b>()</b>              | 1.5 Ah      | 2.0 Ah      | 2.5 Ah      | 3.0 Ah      | 4.0 Ah      | 5.2 Ah       | 6.0 Ah       | 8.0 Ah       |
|------------------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------|--------------|
| <b>&gt;&gt;&gt;</b> 2) | 136 pcs     | 185 pcs     | 226 pcs     | 270 pcs     | 360 pcs     | 474 pcs      | 540 pcs      | 720 pcs      |
| <b>&gt;&gt;&gt;</b> 3) | 34<br>holes | 45<br>holes | 57<br>holes | 82<br>holes | 96<br>holes | 140<br>holes | 166<br>holes | 182<br>holes |

- 2+1 functions
  - Speed control electronics
  - LED light



### TE-HD 18 Li (1x 2.5 Ah)

**EXPERT** 

- Idle speed: 0 1100 min<sup>-1</sup>
- Impact force: 1.2 |
- Drilling capacity, cement: 12 mm
- Drill chuck: SDS-plus
- Incl.: magnetic bit adapter

Incl. 1 battery (18 V | 2.5 Ah | Li-lon), 1 charger, 5-piece drill bit set and case F-Box Basic Art. No. 45.142.18

| 1)                         | 1.5 Ah      | 2.0 Ah      | 2.5 Ah      | 3.0 Ah      | 4.0 Ah      | 5.2 Ah       | 6.0 Ah       | 8.0 Ah       |
|----------------------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------|--------------|
| <b>&gt;&gt;&gt;&gt;</b> 2) | 135 pcs     | 180 pcs     | 225 pcs     | 270 pcs     | 360 pcs     | 465 pcs      | 540 pcs      | 720 pcs      |
| <b>&gt;&gt;&gt;</b> 3)     | 34<br>holes | 45<br>holes | 56<br>holes | 68<br>holes | 90<br>holes | 117<br>holes | 135<br>holes | 180<br>holes |



- 2+1 functions
- Speed control electronics
- LED light

 $<sup>^{1)}</sup>$  Battery capacity  $^{2)}$  Screwing 6 x 60 mm screws into soft wood — max. quantity per battery charge  $^{3)}$  6 mm / 50 mm in concrete — max. quantity per battery charge



**CORDLESS PAINT/MORTAR MIXER 18 V** 

- Ergonomic, handy design
- Speed control electronics
- Soft start

# TE-MX 18 Li

- Idle speed: 0 620 min<sup>-1</sup>
- Stirrer mount: M14
- Incl.: 1 mortar stirrer (Ø 100 mm)

Article only available without battery / charger / case

Art. No. 42.587.60

**EXPERT** 

| 0 | 1) <sup>1)</sup>        | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah |
|---|-------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
|   | <b>&gt;&gt;&gt; </b> 2) | 18 min | 24 min | 30 min | 36 min | 48 min | 62 min | 72 min | 96 min |
|   | <b>&gt;&gt;&gt;</b> 3)  | 15 min | 20 min | 25 min | 30 min | 40 min | 52 min | 60 min | 80 min |
|   | <b>&gt;&gt;&gt; 4</b> ) | 12 min | 16 min | 20 min | 24 min | 32 min | 42 min | 48 min | 64 min |

- Battery capacity
   Max. operating time per battery charge in idle mode
   Mixing duration for wall paint per battery charge
   Mixing duration for mortar per battery charge





- Brushless motor more power, prolonged operation
- Quick fix nut easy disc change
- **■** Twin-Pack<sup>©</sup> Technology: 2x 18 V Power X-Change batteries - more power

# **AXXIO 36/230 Q**

**PROFESSIONAL** 

- Idle speed: 6600 min<sup>-1</sup>
- Wheel diameter: 230 mm
- Max. cutting depth: 70 mm

Article only available without battery / charger / case 3)

Art. No. 44.311.60

|                         |        | 2.0 Ah |        |        |        |        |        |         |
|-------------------------|--------|--------|--------|--------|--------|--------|--------|---------|
| <b>&gt;&gt;&gt; 2</b> ) | 24 pcs | 32 pcs | 41 pcs | 48 pcs | 62 pcs | 81 pcs | 93 pcs | 124 pcs |

For best performance select a battery with at least 3.0 Ah

- Battery capacity (2x batteries required)
   Cutting through pieces of round steel with 12 mm max. quantity per battery charge
   Cutting/grinding discs not included







# **CORDLESS ANGLE GRINDERS 18 V**

## **AXXIO 18/150**

**EXPERT PLUS** 

■ Idle speed: 8500 min<sup>-1</sup> ■ Wheel diameter: 150 mm

Max. cutting depth: 40 mm

■ Incl.: 1 cutting disc and 1 cutting guard

Article only available without battery / charger / case

Art. No. 44.311.44

|                        |        |        |        |        |        |        |        | 8.0 Ah  |
|------------------------|--------|--------|--------|--------|--------|--------|--------|---------|
| <b>&gt;&gt;&gt;</b> 2) | 22 pcs | 33 pcs | 37 pcs | 46 pcs | 61 pcs | 85 pcs | 92 pcs | 122 pcs |

For best performance select a battery with at least 2.5 Ah





- Brushless motor more power, prolonged operation
- Increased cutting depth thanks to larger disc diameter
- Disc guard with quick adjust facility

**EXPERT PLUS AXXIO** 

■ Idle speed: 8500 min<sup>-1</sup> ■ Wheel diameter: 125 mm Max. cutting depth: 33 mm

Article only available without battery / charger / case 3)

Art. No. 44.311.40

|                            | 1.5 Ah |        |        |        |        |        |        |         |
|----------------------------|--------|--------|--------|--------|--------|--------|--------|---------|
| <b>&gt;&gt;&gt;&gt;</b> 2) | 22 pcs | 33 pcs | 37 pcs | 46 pcs | 61 pcs | 85 pcs | 92 pcs | 122 pcs |

For best performance select a battery with at least 2.5 Ah





- more power, prolonged operation
- Soft start
- Disc guard with quick adjust facility

<sup>1)</sup> Battery capacity

 <sup>2)</sup> Cutting through pieces of round steel with 12 mm – max. quantity per battery charge
 3) Cutting/grinding discs not included



# **CORDLESS ANGLE GRINDERS 18 V**

### **AXXIO 18/125 Q**

**EXPERT PLUS** 

Idle speed: 8500 min<sup>-1</sup> ■ Wheel diameter: 125 mm Max. cutting depth: 33 mm

Article only available without battery / charger / case 3)

Art. No. 44.311.51

| <b>1)</b>              | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah  | 8.0 Ah  |
|------------------------|--------|--------|--------|--------|--------|--------|---------|---------|
| <b>&gt;&gt;&gt;</b> 2) | 23 pcs | 29 pcs | 37 pcs | 52 pcs | 63 pcs | 92 pcs | 121 pcs | 126 pcs |

For best performance select a battery with at least 2.5 Ah



- Quick fix nut easy disc change
- Disc guard with quick adjust facility

### **AXXIO 18/115 Q**

**EXPERT PLUS** 

- Idle speed: 8500 min<sup>-1</sup>
- Wheel diameter: 115 mm Max. cutting depth: 28 mm

Article only available without battery / charger / case 3)

Art. No. 44.311.50

|                         | 1.5 Ah |        |        |        |        |        |         |         |
|-------------------------|--------|--------|--------|--------|--------|--------|---------|---------|
| <b>&gt;&gt;&gt; 2</b> ) | 23 pcs | 29 pcs | 37 pcs | 52 pcs | 63 pcs | 92 pcs | 121 pcs | 126 pcs |

For best performance select a battery with at least 2.5 Ah





- Brushless motor more power, prolonged operation
- Quick fix nut easy disc change
- Disc guard with quick adjust facility

Battery capacity
 Cutting through pieces of round steel with 12 mm – max. quantity per battery charge
 Cutting/grinding discs not included



# CORDLESS ANGLE GRINDERS 18 V

### TE-AG 18/115 Li

**EXPERT PLUS** 

Idle speed: 8500 min-1

Wheel diameter: 115 mm Max. cutting depth: 28 mm

Incl. 1 battery (18 V | 3.0 Ah | Li-lon), 1 charger and case E-Box 3)

Art. No. 44.311.19

Incl. 1 cutting disc, 1 grinding disc, 1 cutting guard, case E-Box Basic but no battery / charger Art. No. 44.311.23 Without battery / charger / case 3) Art. No. 44.311.10

Incl. 1 battery (18 V | 4.0 Ah | Li-Ion), 1 charger, 1 cutting disc, 1 grinding disc, 1 cutting guard, Einhell Bag 45/22 Art. No. 44.311.34

| <b>(1)</b>             | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah |
|------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt;</b> 2) | 15 pcs | 20 pcs | 25 pcs | 30 pcs | 40 pcs | 60 pcs | 70 pcs | 80 pcs |

For best performance select a battery with at least 2.5 Ah

Spindle Lock

### TC-AG 18/115 Li

CLASSIC

- Idle speed: 8500 min<sup>-1</sup>
- Wheel diameter: 115 mm
- Max. cutting depth: 28 mm

Article only available without battery / charger / case 3)

Art. No. 44.311.30

|                        |        | 2.0 Ah |        |        |        |        |        |        |
|------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt;</b> 2) | 15 pcs | 20 pcs | 25 pcs | 30 pcs | 40 pcs | 60 pcs | 70 pcs | 80 pcs |

For best performance select a battery with at least 2.5 Ah

- 1) Battery capacity
- <sup>2)</sup> Cutting through pieces of round steel with 12 mm max. quantity per battery charge
- 3) Cutting/grinding discs not included

- Soft start
- Restart safeguard
- Spindle Lock



Soft start

Disc guard with quick adjust facility



# **CORDLESS PLANER 18 V**

TE-PL 18/82 Li

**EXPERT** 

Idle speed: 15000 min<sup>-1</sup>
 Planing width: 82 mm
 Max. rebate depth: 8 mm

Article only available without battery / charger Art. No. 43.454.00

|                         |      | 2.0 Ah |      |      |      |      |      |      |
|-------------------------|------|--------|------|------|------|------|------|------|
| <b>&gt;&gt;&gt; </b> 2) | 16 m | 25 m   | 28 m | 37 m | 48 m | 58 m | 78 m | 96 m |

For best performance select a battery with at least 2.5 Ah

1) Battery capacity



- Powerful with a planing depth up to 2 mm
- Automatic park rest for added safety
- Incl. parallel guide for precise planing results

# **CORDLESS MINI CIRCULAR SAW 18 V**

### TE-CS 18/89 Li

**EXPERT** 

- Idle speed: 3500 min-1
- Saw blade: ø 89 x ø 10 mm
- Cutting depth 90°: 28 mm

Incl. 1 TCT sawblade, 1 HSS sawblade, 1 parallel stop but no battery / charger / case Art. No. 43.311.00

| (IIII) 1)              | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah |
|------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt;</b> 2) | 26 m   | 36 m   | 50 m   | 57 m   | 72 m   | 104 m  | 120 m  | 144 m  |

- 1) Battery capacity
- <sup>2)</sup> Cutting capacity for 19 mm chipboard max. cutting capacity per battery charge



<sup>&</sup>lt;sup>2)</sup> Planing of spruce wood (depth: 1 mm / width: 50 mm), maximum length in meters per battery charge



# **CORDLESS CIRCULAR SAWS 18 V**

### TE-CS 18/190 Li BL

**EXPERT PLUS** 

Idle speed: 3800 min<sup>-1</sup>

Saw blade: ø 190 x ø 20/30 mm

Cutting depth at 45° / 90°: 45 mm / 65 mm

Article only available without battery / charger / case

Art. No. 43.312.10

| <b>IIII</b> ) <sup>1</sup> | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah |
|----------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt;</b> 2)     | 18 m   | 24 m   | 30 m   | 37 m   | 49 m   | 63 m   | 73 m   | 98 m   |

For best performance select a battery with at least 2.5 Ah

# TE-CS 18/165-1 Li

**EXPERT** 

Idle speed: 4200 min<sup>-1</sup>

Saw blade: ø 165 x ø 20 mm

Cutting depth at 45° / 90°: 35 mm / 54 mm

Article only available without battery / charger / case

Art. No. 43.312.07

|                        |      | 2.0 Ah |      |      |      |      |      |       |
|------------------------|------|--------|------|------|------|------|------|-------|
| <b>&gt;&gt;&gt;</b> 2) | 25 m | 33 m   | 40 m | 49 m | 64 m | 82 m | 98 m | 128 m |

### TE-CS 18/150 Li

**EXPERT** 

■ Idle speed: 4200 min<sup>-1</sup>

Saw blade: ø 150 x ø 10/16 mm

Cutting depth at 45° / 90°: 32 mm / 48 mm

Article only available without battery / charger / case

Art. No. 43.312.20

| <b>IIII)</b> 1)            | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah |
|----------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt;&gt;</b> 2) | 23 m   | 30 m   | 38 m   | 45 m   | 60 m   | 78 m   | 90 m   | 120 m  |



- Brushless motor –
- more power, prolonged operation
- Adjustment without tools (depth/angle)
- LED light
- Aluminium sawing table





- LED light
- Aluminium sawing table





- LED light
- Aluminium sawing table





# **CORDLESS JIGSAWS 18 V**

### TE-JS 18/80 Li

**EXPERT** 

- Stroke speed: 0 2400 min<sup>-1</sup>
- Cutting depth (wood / plastic / steel): 80 / 12 / 10 mm
- Product weight: 1.8 kg (excl. battery)

Article only available without battery / charger / case

Art. No. 43.212.00

| <b>()</b>               | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah |
|-------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt; </b> 2) | 7 m    | 9.5 m  | 11 m   | 14 m   | 20 m   | 30 m   | 32 m   | 40 m   |

- Universal blade holder
- Pendulum action (4 settings)
- Blade change without tools
- LED light



# TC-JS 18 Li

CLASSIC

- Stroke speed: 0 2700 min<sup>-1</sup>
- Cutting depth (wood / plastic / steel): 70 / 10 / 8 mm
- Product weight: 1.8 kg (excl. battery)

Incl. 1 battery (18 V | 2.5 Ah | Li-Ion), 1 charger, 3 saw blades (wood), 2 saw blades (metal) and case E-Box Basic Art. No. 43.212.28 Article includes high quality KWB saw blade but no battery / charger / case Art. No. 43.212.09

| (IIII) <sup>1)</sup>    | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah |
|-------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt; 2</b> ) | 7 m    | 9.5 m  | 11 m   | 14 m   | 20 m   | 30 m   | 32 m   | 40 m   |



- Pendulum action (4 settings)
- Blade change without tools
- Dust-blower function

Battery capacit

<sup>&</sup>lt;sup>2)</sup> Cutting capacity for 19 mm chipboard – max. cutting capacity per battery charge



# **CORDLESS ALL PURPOSE SAWS 18 V**



- Brushless motor more power, prolonged operation
- Rotatable main handle
- Anti-vibration function



### TE-AP 18/28 Li BL

**EXPERT PLUS** 

- Stroke speed / height: 0 2500 min<sup>-1</sup> / 28 mm
- Cutting depth (wood / steel): 200 / 12 mm
   Saw blade thickness: 0.8 1.6 mm

Article includes high quality KWB saw blade but no battery / charger / case Art. No. 43.263.10

| _                      |         |         |         | 3.0 Ah  |         |         |         |          |
|------------------------|---------|---------|---------|---------|---------|---------|---------|----------|
| <b>&gt;&gt;&gt;</b> 2) | 170 pcs | 226 pcs | 332 pcs | 417 pcs | 556 pcs | 723 pcs | 834 pcs | 1112 pcs |

For best performance select a battery with at least 2.5 Ah

<sup>1)</sup> Battery capacity 2) Round timber 35 mm – max. number of cuts per battery charge



# **CORDLESS ALL PURPOSE SAWS 18 V**

#### TE-AP 18/26 Li

**EXPERT** 

- Stroke speed / height: 0 2600 min<sup>-1</sup> / 26 mm
- Cutting depth (wood / steel): 180 / 12 mm
- Saw blade thickness: 0.7 1.8 mm

Incl. high quality saw blade but no battery / charger / case

Art. No. 43.262.90

|                        |         |         |         | 3.0 Ah  |         |         |         |         |
|------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt;</b> 2) | 155 pcs | 207 pcs | 260 pcs | 311 pcs | 414 pcs | 572 pcs | 640 pcs | 828 pcs |

Anti-vibration function

Blade change without tools

Soleplate adjustment without tools



# TE-AP 18 Li

**EXPERT PLUS** 

- Stroke speed / height: 0 2600 min<sup>-1</sup> / 22 mm
- Cutting depth (wood / steel): 100 / 6 mm
- Saw blade thickness: 0.6 1.6 mm

Article only available without battery / charger / case

Art. No. 43,263,00

|                        |         | 2.0 Ah  |         |         |         |         |         |         |
|------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt;</b> 2) | 140 pcs | 185 pcs | 240 pcs | 290 pcs | 370 pcs | 570 pcs | 580 pcs | 740 pcs |



- Blade change without tools
- Soleplate adjustment without tools
- Ergonomic, compact design

 $<sup>^{1)}\,</sup>$  Battery capacity  $^{2)}\,$  Round timber 35 mm - max. number of cuts per battery charge



# **CORDLESS SLIDING MITRE SAW 36 V**

#### TE-SM 36/210 Li

**EXPERT** 

- Speed: 3800 min<sup>-1</sup>
- Saw blade / number of teeth: HM ø 210 x ø 30 x 1.8 mm / Z40
- Swivelling range: -47° to +47°
- Mitre cut: 0° to 45° to the left
- Cutting capacity 90° x 90°: 310 x 65 mm

Article only available without battery / charger Art. No. 43,008,80

| <b>1)</b>              | 1.5 Ah  | 2.0 Ah  | 2.5 Ah  | 3.0 Ah  | 4.0 Ah  | 5.2 Ah  | 6.0 Ah   | 8.0 Ah   |
|------------------------|---------|---------|---------|---------|---------|---------|----------|----------|
| <b>&gt;&gt;&gt;</b> 2) | 140 pcs | 185 pcs | 230 pcs | 275 pcs | 370 pcs | 480 pcs | 555 pcs  | 740 pcs  |
| <b>&gt;&gt;&gt;</b> 3) | 263 pcs | 350 pcs | 435 pcs | 525 pcs | 700 pcs | 910 pcs | 1050 pcs | 1400 pcs |

- Battery capacity (2x batteries required)
   Square timber 60 x 60 mm (soft wood) max. number of cuts per battery charge
   Laminate 195 x 8 mm max. number of cuts per battery charge



- TWIN-PACK<sup>©</sup> 18VD+18VD 36V
- Specially developed high-quality precision saw blade
- Laser and LED for easy and safe use
- Powerful 36 V motor (2x 18 V)

# **CORDLESS MITRE SAW 18 V**

## TE-MS 18/210 Li

**EXPERT** 

- Speed: 3000 min<sup>-1</sup>
- Saw blade / number of teeth: HM ø 210 x ø 30 x 1.8 mm / Z40
- Swivelling range: -47° to +47°
- Mitre cut: 0° to 45° to the left
- Cutting capacity: 120 x 60 mm

Article only available without battery / charger Art. No. 43.008.90

|                        |        | 2.0 Ah  |         |         |         |         |         |         |
|------------------------|--------|---------|---------|---------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt;</b> 2) | 72 pcs | 103 pcs | 120 pcs | 154 pcs | 190 pcs | 250 pcs | 304 pcs | 400 pcs |

For best performance select a battery with at least 2.5 Ah

- 1) Battery capacity
- <sup>2)</sup> Square timber 60 x 60 mm (soft wood) max. number of cuts per battery charge

- Specially developed high-quality precision saw blade
- Laser and LED for easy and safe use
- X-Tend work supports with single hand operation facility and integrated limit stop for repeat cutting







# **CORDLESS TABLE SAW 36 V**

#### TE-TS 36/210 Li

**EXPERT** 

- Speed: 3800 min<sup>-1</sup>
- Saw blade / number of teeth: HM ø 210 x ø 30 x 1.8 mm / Z40
- Cutting height 90° / 45°: 70 mm / 45 mm
- Cutting capacity (on the right side): 625 mm

Article only available without batteries / chargers Art. No. 43.404.50

|                            |        | 2.0 Ah |        |        |         |         |         |         |
|----------------------------|--------|--------|--------|--------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt;&gt;</b> 2) | 45 lfm | 60 lfm | 71 lfm | 92 lfm | 122 lfm | 160 lfm | 184 lfm | 244 lfm |

For best performance select a battery with at least 2.5 Ah

- Battery capacity (2x batteries required)
   OSB panel 19 mm max, cutting range per battery charge

- Specially developed high-quality precision saw blade
- Sturdy aluminium table
- Holders for stowing away all the attachments

TWIN-PACK° 18V]+[18V] 36V



# **CORDLESS TILE CUTTING MACHINE 18 V**

# TE-TC 18/115 Li

**EXPERT** 

- Speed: 3800 min<sup>-1</sup>
- Cutting wheel: ø 115 x ø 22.2 mm
- Cutting height 90° / 45°: 24 mm / 16 mm

Article only available without battery / charger Art. No. 43.011.90

|                         |        |        |        |        |         |         |         | 8.0 Ah  |
|-------------------------|--------|--------|--------|--------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt; </b> 2) | 37 pcs | 50 pcs | 63 pcs | 75 pcs | 100 pcs | 130 pcs | 150 pcs | 200 pcs |

- 1) Battery capacity 2) Ceramic tile 15 x 15 cm max. cutting range per battery charge



- **■** Excellent diamond cutting disc for perfect cuts
- Very powerful engine
- Integrated water tank



# **CORDLESS MULTIFUNCTIONAL TOOLS 18 V**

**EXPERT PLUS** VARRITO

Oscillating speed: 22000 - 40000 min<sup>-1</sup>

Oscillation angle: 3.2°

Abrasive paper size: 93 x 93 x 93 mm

■ Incl.: 15-piece accessory set

Article only available without battery / charger / case

Art. No. 44.651.60

| (IIII) 1)              | 1.5 Ah  | 2.0 Ah  | 2.5 Ah  | 3.0 Ah   | 4.0 Ah   | 5.2 Ah   | 6.0 Ah   | 8.0 Ah   |
|------------------------|---------|---------|---------|----------|----------|----------|----------|----------|
| <b>&gt;&gt;&gt;</b> 2) | 23 min  | 30 min  | 38 min  | 45 min   | 60 min   | 78 min   | 90 min   | 120 min  |
| <b>&gt;&gt;&gt;</b> 3) | 540 pcs | 720 pcs | 900 pcs | 1080 pcs | 1440 pcs | 1880 pcs | 2160 pcs | 2880 pcs |
| <b>&gt;&gt;&gt;</b> 4) | 100 pcs | 134 pcs | 166 pcs | 200 pcs  | 268 pcs  | 340 pcs  | 400 pcs  | 536 pcs  |

Quick-release lock Magnetic tool mounting Speed control electronics

#### TC-MG 18 Li

CLASSIC

- Oscillating speed: 22000 40000 min<sup>-1</sup>
- Oscillation angle: 3.2°
- Abrasive paper size: 93 x 93 x 93 mm
- Incl.: 13-piece accessory set

Article only available without battery / charger / case

Art. No. 44.651.70

| 1)                      | 1.5 Ah  | 2.0 Ah  | 2.5 Ah  | 3.0 Ah   | 4.0 Ah   | 5.2 Ah   | 6.0 Ah   | 8.0 Ah   |
|-------------------------|---------|---------|---------|----------|----------|----------|----------|----------|
| <b>&gt;&gt;&gt; 2</b> ) | 23 min  | 30 min  | 38 min  | 45 min   | 60 min   | 78 min   | 90 min   | 120 min  |
| <b>&gt;&gt;&gt;</b> 3)  | 540 pcs | 720 pcs | 900 pcs | 1080 pcs | 1440 pcs | 1880 pcs | 2160 pcs | 2880 pcs |
| <b>&gt;&gt;&gt; </b> 4) | 100 pcs | 134 pcs | 166 pcs | 200 pcs  | 268 pcs  | 340 pcs  | 400 pcs  | 536 pcs  |

- 1) Battery capacity
- Max. operating time per battery charge in idle mode
   Round plastics 10 mm max. number of cuts per battery charge
   Round steel 6 mm max. number of cuts per battery charge





# **CORDLESS ROTATING SANDER 18 V**

TE-RS 18 Li

 Oscillating speed: 14000 - 22000 min<sup>-1</sup> Oscillating circuit ø: 2.0 mm

Abrasive paper ø: 125 mm

Incl.: abrasive paper (1 pc)

Article only available without battery / charger / case

Art. No. 44.620.10

**EXPERT PLUS** 

|                        |        | 2.0 Ah |        |        |        |        |        |        |
|------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt;</b> 2) | 15 min | 20 min | 25 min | 30 min | 40 min | 52 min | 60 min | 80 min |



- Speed control electronics
- Hook and loop fastening
- Dust extraction

# **CORDLESS MULTI SANDER 18 V**

### TE-OS 18/150 Li

**EXPERT** 

- Oscillating speed: 24000 min-1
- Oscillating circuit ø: 1.6 mm
- Abrasive paper: 150 x 150 x 100 mm
- Incl.: abrasive papers (6 pc)

Article only available without battery / charger / case

Art. No. 44.607.08

|                         |        |        |        |        | 4.0 Ah |        |        |         |
|-------------------------|--------|--------|--------|--------|--------|--------|--------|---------|
| <b>&gt;&gt;&gt; 2</b> ) | 23 min | 27 min | 34 min | 40 min | 55 min | 70 min | 80 min | 110 min |

- Small, compact and handy
- Hook and loop fastening
- Dust extraction



Battery capacity
 Max. operating time per battery charge in idle mode



# **CORDLESS ORBITAL SANDERS 18 V**

#### TE-OS 18/230 Li

**EXPERT** 

Oscillating speed: 14000 - 22000 min<sup>-1</sup>

Oscillating circuit ø: 2.5 mm

Abrasive paper: 230 x 115 mm

Incl.: abrasive papers (3 pc)

Article only available without battery / charger / case

Art. No. 44.607.20

| <b>1)</b>               | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah  |
|-------------------------|--------|--------|--------|--------|--------|--------|--------|---------|
| <b>&gt;&gt;&gt; 2</b> ) | 20 min | 27 min | 33 min | 40 min | 54 min | 70 min | 80 min | 108 min |



- Speed control electronics
- Hook and loop fastening
- Aluminium sole plate
- Dust extraction

### TC-OS 18/187 Li

CLASSIC

- Oscillating speed: 24000 min<sup>-1</sup>
- Oscillating circuit ø: 2.0 mm
- Abrasive paper: 187 x 94 mm
- Incl.: abrasive paper (1 pc)

Article only available without battery / charger / case

Art. No. 44.607.25

|                         |        | 2.0 Ah |        |        |        |        |         |         |
|-------------------------|--------|--------|--------|--------|--------|--------|---------|---------|
| <b>&gt;&gt;&gt; 2</b> ) | 25 min | 34 min | 42 min | 50 min | 67 min | 87 min | 100 min | 134 min |

Hook and loop fasteningDust extraction

<sup>2)</sup> Max. operating time per battery charge in idle mode



<sup>1)</sup> Battery capacity



# **CORDLESS DRYWALL POLISHER 18 V**

#### TE-DW 18/225 Li

**EXPERT PLUS** 

- Oscillating speed: 600 1200 min<sup>-1</sup>
   Incl.: 6x sheets of abrasive paper and 1x sheet of abrasive mesh

Article includes case but no battery / charger Art. No. 42.599.90

|                        |        |        |        |        |        |        |        | 8.0 Ah  |
|------------------------|--------|--------|--------|--------|--------|--------|--------|---------|
| <b>&gt;&gt;&gt;</b> 2) | 21 min | 26 min | 33 min | 44 min | 55 min | 68 min | 78 min | 110 min |

<sup>1)</sup> Battery capacity
2) Max. operating time per battery charge in idle mode







# **CORDLESS CAR POLISHING MACHINE 18 V**

#### CE-CB 18/254 Li

CAR EXPERT

Idle speed: 2500 min-1 Diameter: 254 mm

Article only available without battery / charger / case

Art. No. 20.933.01

|                         |        |        |        |         |         |         |         | 8.0 Ah  |
|-------------------------|--------|--------|--------|---------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt; 2</b> ) | 56 min | 81 min | 93 min | 112 min | 127 min | 200 min | 222 min | 254 min |

For best performance select a battery with at least 2.5 Ah

- Handy and robust
- Soft grip for comfortable operation
- Incl. 1 textile polishing bonnet and 1 synthetic polishing bonnet



# CORDLESS POLISHING/SANDING MACHINE 18 V

#### CE-CP 18/180 Li E

**EXPERT** 

- Idle speed: 500 3000 min<sup>-1</sup>
- Diameter: 180 mm

Article only available without battery / charger / case

Art. No. 20.933.20

|                         |        | 2.0 Ah |        |        |        |        |        |        |
|-------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt; 2</b> ) | 17 min | 20 min | 25 min | 35 min | 43 min | 54 min | 65 min | 86 min |

For best performance select a battery with at least 2.5 Ah





<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode



# **CORDLESS BLOWER 18 V**

#### TE-CB 18/180 Li

**EXPERT** 

- Blow velocity (step 1 / 2): 130 km/h / 180 km/h
- Idle speed (step 1 / 2): 11500 min<sup>-1</sup> / 15500 min<sup>-1</sup>
- Incl.: 3 inflation nozzles

Article only available without battery / charger / case

Art. No. 34.080.01

| <b>1)</b>              | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah  | 6.0 Ah  | 8.0 Ah  |
|------------------------|--------|--------|--------|--------|--------|---------|---------|---------|
| <b>&gt;&gt;&gt;</b> 2) | 31 min | 39 min | 48 min | 62 min | 68 min | 100 min | 124 min | 136 min |
| <b>&gt;&gt;&gt;</b> 3) | 18 min | 24 min | 26 min | 36 min | 48 min | 56 min  | 65 min  | 96 min  |

- 1) Battery capacity
  2) Performance at setting 1 per battery charge in idle mode
- 3) Performance at setting 2 per battery charge in idle mode

# 2-step speed adjustment Lightweight Small and handy

# **CORDLESS PAINT SPRAY SYSTEM 18 V**

#### TC-SY 18/60 Li

CLASSIC

- Delivery rate: 650 ml/min
- Tank volume: 800 ml
- Max. viscosity: 60 DIN-sec
- Incl.: 2 nozzles for different viscosities
- Incl.: purification needle and purification brush

Article only available without battery / charger Art. No. 42.600.25

|                         |       | 2.0 Ah |       |       |                   |       |       |        |
|-------------------------|-------|--------|-------|-------|-------------------|-------|-------|--------|
| <b>&gt;&gt;&gt; </b> 2) | 22 m² | 30 m²  | 38 m² | 45 m² | 60 m <sup>2</sup> | 78 m² | 90 m² | 120 m² |

- 1) Battery capacity
- 2) Varnishing of wood, wood lacquer, viscosity 60 DIN-sec

- Hand-held system for small and medium-sized working areas
- Spraying of lacguers and glazes
- Removable spray cap
- Paint flow regulation
- Adjustable air cap





# **CORDLESS HOT GLUE GUN 18 V**

TE-CG 18 Li

**EXPERT** 

Warm-up period: 120 s

Max. glueing temperature: 170°C

Glue stick length / diameter: 200 mm / 11 mm

Incl.: 5 glue sticks and flat glueing nozzle

Article only available without battery / charger / case

Art. No. 45.222.00

| <b>IIII</b> ) 1        | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah |
|------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt;</b> 2) | 14 pcs | 18 pcs | 22 pcs | 28 pcs | 36 pcs | 44 pcs | 50 pcs | 72 pcs |

<sup>1)</sup> Battery capacity



- LED heat level indicator
- Disengageable LED light
- Changeable glueing nozzle

# **CORDLESS HOT AIR GUN 18 V**

TE-HA 18 Li

**EXPERT** 

- Temperature setting 1 / setting 2: 350 °C / 550 °C
- Air rate: 200 l/min

Incl. reducer nozzle, wide nozzle, reflector nozzle but no battery / charger / case Art. No. 45.205.00

|                         |       |       |        |        |        | 5.2 Ah |        |        |
|-------------------------|-------|-------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt; </b> 2) | 7 min | 9 min | 11 min | 13 min | 17 min | 22 min | 26 min | 34 min |

- 1) Battery capacity
- 2) Max. operating time per battery charge setting 2

- 2 temperature settings
- Mechanical nozzle ejector
- Overheating protection for safe operation
- LED display



<sup>2)</sup> Glue sticks 11 mm, length 200 mm – max. number per battery charge



# **CORDLESS NAILER 18 V**

TE-CN 18 Li

**EXPERT** 

Max. working speed: 20 min<sup>-1</sup>

Stapel length: 16 - 22 mm Nail length: 15 - 32 mm

Incl. 300 nails + 300 staples; article only available without battery / Art. No. 42.577.90 charger / case

| <b>IIII</b> 1)          | 1.5 Ah   | 2.0 Ah   | 2.5 Ah   | 3.0 Ah   | 4.0 Ah   | 5.2 Ah   | 6.0 Ah   | 8.0 Ah   |
|-------------------------|----------|----------|----------|----------|----------|----------|----------|----------|
| <b>&gt;&gt;&gt; 2</b> ) | 1472 pcs | 2030 pcs | 2670 pcs | 3204 pcs | 4272 pcs | 5554 pcs | 6408 pcs | 8544 pcs |
| <b>&gt;&gt;&gt;</b> 3)  | 1459 pcs | 1995 pcs | 2642 pcs | 3171 pcs | 4228 pcs | 5496 pcs | 6342 pcs | 8456 pcs |



- 2-in-1 stapler and nailer combination tool
- Cutting depth adjustment
- Magazine with level indicator
- Allows stapling close to the edge

# **USB BATTERY ADAPTER 18 V**

# TE-CP 18 Li USB

**EXPERT PLUS** 

- USB connections: 2
- Output current USB 1: 1.0 A
- Output current USB 2: 2.1 A

Article only available without battery / charger / case

Art. No. 45.141.20

|                         | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah |
|-------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt; </b> 2) | 8 h    | 12 h   | 13.5 h | 16 h   | 24 h   | 32 h   | 36 h   | 48 h   |

- 1) Battery capacity
- 2) Charging time per battery charge



- Charging mobile phones or tablets
- LED operating status indicator



Battery capacity
 32 mm nails in softwood at maximum depth setting – max. number per battery charge
 22 mm staples in softwood at maximum depth setting – max. number per battery charge



# **CORDLESS LIGHTS 18 V**

#### TE-CL 18/2500 LIAC

**EXPERT** 

Luminosity: 1000 lm / 2500 lm

Light range: 640 m

Colour temperature: 6500 K

Article only available without battery / charger / case

Art. No. 45.141.45

| <b>1)</b>              | 1.5 Ah  | 2.0 Ah  | 2.5 Ah  | 3.0 Ah  | 4.0 Ah  | 5.2 Ah  | 6.0 Ah  | 8.0 Ah   |
|------------------------|---------|---------|---------|---------|---------|---------|---------|----------|
| <b>&gt;&gt;&gt;</b> 2) | 69 min  | 85 min  | 107 min | 137 min | 183 min | 238 min | 274 min | 366 min  |
| <b>&gt;&gt;&gt;</b> 3) | 229 min | 291 min | 341 min | 458 min | 611 min | 794 min | 916 min | 1222 min |

1) Battery capacity

Luminous period per battery charge – 2500 lm

3) Luminous period per battery charge – 1000 lm



- 2-step luminosity adjustment
- Hybrid function for use from a 12 V cigarette lighter socket or with a rechargeable battery
- 7 bright LEDs
- ¼" tripod thread



#### TE-CL 18/2000 LiAC

**EXPERT** 

Mains connection: 100-240 V ~ 50-60 Hz

Cable length: 2 m

Luminosity: 1000 lm / 1500 lm / 2000 lm

■ Light source: 20 LEDs

Article only available without battery / charger / case

Art. No. 45.141.14

|                         |        | 2.0 Ah  |         |         |         |         |         |         |
|-------------------------|--------|---------|---------|---------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt; </b> 2) | 87 min | 115 min | 145 min | 174 min | 230 min | 300 min | 345 min | 460 min |

1) Battery capacity

- Hybrid function for use with a power cable or a rechargeable battery
- 3-step luminosity adjustment
- 360° swivelling lamp head





<sup>2)</sup> Luminous period per battery charge

# **CORDLESS LIGHTS 18 V**

TC-CL 18/1800 Li

CLASSIC

- Luminosity: 1800 lm
- Light source: 1 LED

Article only available without battery / charger / case

Art. No. 45.141.15

|                        |        |         |         |         |         |         |         | 8.0 Ah  |
|------------------------|--------|---------|---------|---------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt;</b> 2) | 90 min | 118 min | 140 min | 191 min | 243 min | 300 min | 350 min | 486 min |

- 360° swivelling lamp head
- Infinitely variable luminosity
- **■** Folding foot



#### TE-CL 18 Li H

**EXPERT PLUS** 

- Luminosity: 280 lm
- Light source: 1 LED

Article only available without battery / charger / case

Art. No. 45.141.30

|                         |     | 2.0 Ah |      |      |      |      |      |      |
|-------------------------|-----|--------|------|------|------|------|------|------|
| <b>&gt;&gt;&gt; 2</b> ) | 8 h | 10 h   | 12 h | 16 h | 22 h | 32 h | 33 h | 44 h |



- High-quality LED of the company Cree Ltd.
- Swivelling lamp head
- Metal hook

Battery capacityLuminous period per battery charge



# **CORDLESS RADIO 18 V**

TC-RA 18 Li BT

CLASSIC

- AM Frequency: 522 1620 kHz
- FM Frequency: 87.5 108 MHz
- Station memory (AM / FM): 10 / 10

Article only available without battery / charger / case

Art. No. 34.080.17

|                        |      | 2.0 Ah |        |        |        |        |      |      |
|------------------------|------|--------|--------|--------|--------|--------|------|------|
| <b>&gt;&gt;&gt;</b> 2) | 12 h | 16 h   | 20.5 h | 24.5 h | 32.5 h | 42.5 h | 49 h | 65 h |



- **■** LCD display
- **■** External antenna
- Bluetooth connection for wireless music listening



# **CORDLESS SPEAKER 18 V**

TC-SR 18 Li BT

CLASSIC

- Power rating: 2x 3 W
- Max. volume: 85 dB
- Product weight: 0.3 kg (excl. battery)

Article only available without battery / charger / case

Art. No. 45.141.50

| 1)                     | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah |
|------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt;</b> 2) | 43 h   | 57 h   | 72 h   | 86 h   | 114 h  | 148 h  | 171 h  | 228 h  |



- Bluetooth connection for wireless music listening
- USB connection for charging mobile phones etc.
- AUX connection



<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge



# **ACCESSORIES - CASES**

#### E-Box L70

- Items supplied: 1 universal case
- Internal dimensions: 670 x 190 x 300 mm
- External dimensions: 700 x 250 x 350 mm
- Load capacity: 50 kg

Art. No. 45.300.54



#### E-Box S35

- Items supplied: 1 universal case
- Internal dimensions: 310 x 250 x 89.5 mm
- External dimensions: 350 x 330 x 110 mm
- Load capacity: 12 kg

Art. No. 45.300.45



# **ACCESSORIES - BAG**

#### Einhell Bag 45/22

- Items supplied: 1 universal bag
- Internal dimensions: 390 x 200 x 190 mm
- External dimensions: 450 x 220 x 350 mm
- Load capacity: 15 kg

Art. No. 45.300.37



#### E-Box M55

- Items supplied: 1 universal case
   Internal dimensions: 510 x 327 x 124 mm
- External dimensions: 550 x 400 x 150 mm
- Load capacity: 30 kg

Art. No. 45.300.49





# E-CASE-SYSTEM **SYSTEM CASES E-CASE**

- Stackable + locking system
- Splash-proof
- Incl. inlays for lid and base



#### E-Case S-F

- Items supplied: 1 system case incl. foam inserts
- Internal dimensions: 421 x 281 x 96 mm
- External dimensions: 444 x 330 x 131 mm

Art. No. 45.400.11





#### **UNMATCHED FOR** RUGGEDNESSI



Maximum loading of a single case when carried by the handle on the side



Maximum loading of several cases when carried by the broad handle on the top



Concentrated loading from above withstands the weight of one person without difficulty



Maximum permissible loading of the case at the bottom of the stack

#### **SORTING**



Art. no. 45.400.11 in combination with art. no. 45.400.12

#### **STORING**



Art. no. 45.400.11

#### **PROTECTING**



Art. no. 45.400.11 in combination with art. no. 45.400.13

# E-CASE ACCESSORIES

# **Set of Plastic Compartments**

Set comprising:
2x long,
3x mid-length,
4x short dividers,
1x adjustable
perforated foam inlay

Art. No. 45.400.12



# **Perforated Foam**

- 1x adjustable raster foam insert
- Height: 65 mm

Art. No. 45.400.13







# CORDLESS WET AND DRY **VACUUM CLEANERS 36 V**

#### TE-VC 36/30 Li S

**EXPERT PLUS** 

**EXPERT** 

- Suction power: 150 mbar / 100 mbar (BOOST / ECO)
- Tank: stainless steel, 30 l
- Nozzles: crevice, upholstery and combination nozzle (1x each)
- Accessories: foam filter, pleated filter and dirt bag (1x each)

Article only available without batteries / chargers Art. No. 23.471.40

| <b>IIII</b> 1)          | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah |
|-------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt; </b> 2) | 8 min  | 11 min | 13 min | 16 min | 22 min | 28 min | 33 min | 44 min |
| <b>&gt;&gt;&gt;</b> 3)  | 6 min  | 8 min  | 10 min | 12 min | 16 min | 21 min | 24 min | 32 min |

For best performance select a battery with at least 3.0 Ah

- 2 speeds
- Heavy-duty suction hose
- Twin-Pack<sup>©</sup> Technology

TWIN-PACK° 18V 1+ 18V 1 36V TECHNOLOGY





#### TE-VC 36/25 Li S

Suction power: 150 mbar / 100 mbar (BOOST / ECO)

- Tank: stainless steel. 25 l
- Nozzles: crevice, upholstery and combination nozzle (1x each)
- Accessories: foam filter, pleated filter and dirt bag (1x each)

Article only available without batteries / chargers Art. No. 23.471.70

| (IIII) 1)              | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah |
|------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt;</b> 2) | 8 min  | 11 min | 13 min | 16 min | 22 min | 28 min | 33 min | 44 min |
| <b>&gt;&gt;&gt;</b> 3) | 6 min  | 8 min  | 10 min | 12 min | 16 min | 21 min | 24 min | 32 min |

For best performance select a battery with at least 3.0 Ah

- 2 speeds
- Stainless steel tank, rust-proof and sturdy
- Twin-Pack® Technology



- 1) Battery capacity (2x batteries required)
- Max. operating time per battery charge in idle mode (ECO mode)
   Max. operating time per battery charge in idle mode (BOOST mode)





# **CORDLESS WET AND DRY VACUUM CLEANERS 18 V**

#### TC-VC 18/20 Li S

CLASSIC

- Suction power: 80 mbar
- Tank: stainless steel, 20 l
- Nozzles: crevice, upholstery and combination nozzle (1x each)
- Accessories: foam filter, pleated filter and dirt bag (1x each)

Article only available without battery / charger Art. No. 23,471,30

|                        | 1.5 Ah |        |        |        |        |        |        |        |
|------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt;</b> 2) | 8 min  | 10 min | 11 min | 16 min | 20 min | 25 min | 32 min | 40 min |

#### TC-VC 18/15 Li

CLASSIC

- Suction power: 80 mbar
- Tank: plastic, 15 l
- Nozzles: crevice, combination nozzle (1x each)
- Accessories: foam filter, permanent filter and dirt bag (1x each)

Article only available without battery / charger Art. No. 23.471.45

|                        |       | 2.0 Ah |        |        |        |        |        |        |
|------------------------|-------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt;</b> 2) | 8 min | 10 min | 11 min | 16 min | 20 min | 25 min | 32 min | 40 min |

#### TE-VC 18/10 Li

**EXPERT** 

- Suction power: 90 mbar
- Tank: plastic, 10 l
- Nozzles: 2-in-1 crevice/brush nozzle and 2-in-1 upholstery/universal nozzle (1x each)
- Accessories: foam filter, permanent filter and dirt bag (1x each)

Article only available without battery / charger Art. No. 23.471.60

| <b>(1)</b>             | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah |
|------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt;</b> 2) | 8 min  | 10 min | 12 min | 17 min | 21 min | 26 min | 30 min | 42 min |

- 1) Battery capacity (For best performance select a battery with at least 2.5 Ah)
- 2) Max, operating time per battery charge in idle mode

- Stainless steel tank, rust-proof and sturdy
- Blow connector
- Incl. extensive accessories









- Plastic tank light-weight but impact-proof
- Blow connector
- Incl. extensive accessories








Extendable hose





# **CORDLESS STICK VAC CLEANER 18 V**

TE-SV 18 Li

**EXPERT** 

Tank volume: 0.6 l

Speed settings: 2 (ECO/BOOST)

Cyclone separator: changeable and washable

Article only available without battery / charger Art. No. 23,471,80

|   | <b>IIII)</b> 1)        | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah  |
|---|------------------------|--------|--------|--------|--------|--------|--------|--------|---------|
|   | <b>&gt;&gt;&gt;</b> 2) | 8 min  | 11 min | 13 min | 18 min | 22 min | 28 min | 35 min | 44 min  |
| ĺ | <b>&gt;&gt;&gt;</b> 3) | 19 min | 25 min | 31 min | 38 min | 50 min | 65 min | 80 min | 100 min |

1) Battery capacity

2) Max. operating time per battery charge in idle mode (ECO mode)
3) Max. operating time per battery charge in idle modeg (BOOST mode)

#### **EXTENSIVE ACCESSORIES**

- Wall bracket for storing the device and the accessories
- Flexible crevice nozzle for vacuuming hard-to-reach areas in the car
- 2-in-1 nozzle for slits on the sofa

#### ALSO AVAILABLE: **ACCESSORY SET** (23.512.67)

- Hose and universal nozzle for user-friendly cleaning in the living-room / car / etc.
- **Upholstery nozzle** for cushions

- 2-in-1 device: hand-held vacuum cleaner + upright vacuum cleaner
- No dirt bag: empty the dust collection container at the push of a button
- Well illuminated work area thanks to 4 spotlight LEDs









# CORDLESS HANDHELD VACUUM CLEANER 18 V

TE-VC 18 Li **EXPERT PLUS** 

- Suction power: 42 mbar
- Tank: plastic, 0.54 l
- Nozzles: crevice, upholstery, floor nozzle (1x each)
- Accessories: wall bracket, extension tube, washable synthesis filter (1x each)

Article only available without battery / charger Art. No. 23.471.20

|                        |        |        |        |        |        |        |        | 8.0 Ah |
|------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt;</b> 2) | 12 min | 16 min | 18 min | 23 min | 31 min | 40 min | 46 min | 62 min |

- Easy cleaning
- Incl. extensive accessories
- Wall bracket





# **CORDLESS ASH VACUUM CLEANER 18 V**

#### TE-AV 18/15 Li C

**EXPERT** 

- Suction power: 100 mbar
- Tank: stainless steel, 15 l
- Accessories: suction tube, pleated filter (1x each)

Article only available without battery / charger Art. No. 23.517.00

| _                       | 1.5 Ah |        |        |        |        |        |        |        |
|-------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt; </b> 2) | 11 min | 15 min | 18 min | 22 min | 30 min | 37 min | 44 min | 60 min |

- **■** Filter cleaning system
- Lightweight and mobile
- Metal-reinforced suction hose



<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode





#### TE-SW 18/610 Li

**EXPERT** 

Max. area coverage: 1800 m²/h
Sweeping width: 610 mm
Dirt tank: 20 l

Article only available without battery / charger Art. No. 23.520.40

| 1)                     | 1.5 Ah             | 2.0 Ah | 2.5 Ah              | 3.0 Ah              | 4.0 Ah              | 5.2 Ah  | 6.0 Ah              | 8.0 Ah              |
|------------------------|--------------------|--------|---------------------|---------------------|---------------------|---------|---------------------|---------------------|
| <b>&gt;&gt;&gt;</b> 2) | 650 m <sup>2</sup> | 850 m² | 1050 m <sup>2</sup> | 1300 m <sup>2</sup> | 1700 m <sup>2</sup> | 2200 m² | 2550 m <sup>2</sup> | 3400 m <sup>2</sup> |
| <b>&gt;&gt;&gt;</b> 3) | 21 min             | 27 min | 34 min              | 41 min              | 55 min              | 72 min  | 83 min              | 110 min             |

Battery capacity
 Area coverage at walking speed (3.0 km/h)
 Max. operating time per battery charge in idle mode





# 6-IN-1 CORDLESS HYBRID COMPRESSOR 18 V

**EXPERT PRESSITO** 

- Mains connection: 220-240 V ~ 50 Hz
- Max. output rate at 0 | 4 | 7 bar: 16 | 10 | 8 | / min
- Max. operating pressure: 11 bar
- Incl.: high pressure hose, low pressure hose and several adapters

Article only available without battery / charger Art. No. 40.204.60

| <b>IIII)</b> 1)         | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah  |
|-------------------------|--------|--------|--------|--------|--------|--------|--------|---------|
| <b>&gt;&gt;&gt; </b> 2) | 20 min | 30 min | 37 min | 45 min | 60 min | 85 min | 90 min | 120 min |

<sup>1)</sup> Battery capacity



- Hybrid function for use with a power cable or a rechargeable batterv
- Incl. extensive accessories
- High pressure pumping, low pressure pumping/suction



# CORDLESS COMPRESSOR 36 V

#### TE-AC 36/6/8 Li OF Set

Suction power: 130 l/min

- Max. output rate at 0 | 4 | 7 bar: 90 | 55 | 38 l/min
- Tank capacity: 6 l
- Max. operating pressure: 8 bar
- Incl.: compressed air hose, blow-out gun, tyre pressure gauge and several adapters

Article only available without battery / charger Art. No. 40.204.50

| <b>IIII)</b> 1)        | 1.5 Ah  | 2.0 Ah  | 2.5 Ah  | 3.0 Ah  | 4.0 Ah  | 5.2 Ah  | 6.0 Ah   | 8.0 Ah   |
|------------------------|---------|---------|---------|---------|---------|---------|----------|----------|
| <b>&gt;&gt;&gt;</b> 2) | 20 pcs  | 25 pcs  | 29 pcs  | 40 pcs  | 50 pcs  | 60 pcs  | 80 pcs   | 100 pcs  |
| <b>&gt;&gt;&gt;</b> 3) | 330 pcs | 400 pcs | 435 pcs | 660 pcs | 800 pcs | 900 pcs | 1320 pcs | 1600 pcs |

1) Battery capacity

Tank pressure build-up cycles per battery charge
 Soft wood – max. number of staples (13 mm staples) per battery charge



**EXPERT** 



<sup>2)</sup> Max. high-pressure pump operating time per battery charge





# CORDLESS CAR COMPRESSOR

#### CE-CC 18 Li-Solo

CAR EXPERT

- Max. output rate at 0 | 4 | 7 bar: 12 | 10 | 8 l/min
- Max. operating pressure: 11 bar
- Incl.: 60 cm compressed air hose and several adapters

Article only available without battery / charger Art. No. 20.710.10

|                        |        |        |        |        |        | 5.2 Ah  |         |         |
|------------------------|--------|--------|--------|--------|--------|---------|---------|---------|
| <b>&gt;&gt;&gt;</b> 2) | 32 min | 42 min | 53 min | 63 min | 84 min | 109 min | 126 min | 168 min |





- Ideal for inflating car tyres, cycle tyres and balls
- Digital pressure display for simple setting of the required pressure up to max. 11 bar
- Manual and automatic pumping with switch-off function

# **CORDLESS AIR PUMP**

# **CE-AP 18 Li-Solo**

CAR EXPERT

- Max. delivery rate: 670 l/min
- Max. operating pressure: 0.5 bar
- Incl.: 2 inflation adapters

Article only available without battery / charger Art. No. 20.701.10

|                         | 1.5 Ah |        |        |        |         |         |         |         |
|-------------------------|--------|--------|--------|--------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt; </b> 2) | 49 min | 65 min | 81 min | 98 min | 130 min | 169 min | 195 min | 260 min |

- Ideal for inflating rubber dinghies, air mattresses, leisure articles
- Suitable for deflation by simply replacing the adapter
- Can be used as a workshed blower for cleaning the worktop





<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode

BRUSHLESS



**ROBOT LAWN MOWERS** 

Robot Lawn Mower FREELEXO 750 LCD BT+



#### APP

Control via smart phone through Bluetooth

RAIN SENSOR



#### SAFETY SENSOR SYSTEM

Impact, lift and tilt sensor for maximum safety



# MULTI-AREA MOWING FUNCTION

for lawn-friendly operation

for complicated gardens



#### **ECO FUNCTION**

Constantly saving power – good for the wallet and the environment



# PROGRAMMABLE OPERATING TIME

for each specific day



#### **SPOT MOWING**

Targeted mowing for hard-toreach places, such as under garden furniture



# ANTI-THEFT PROTECTION

in form of PIN code and warning signal



#### LCD DISPLAY

for easier control on the product



#### SILENT

Your garden – your oasis of silence



# SECOND AREA MOWING

Mowing mode for complex gardens with separate areas of grass



# DISCOVER EINHELL'S POWER X-CHANGE ROBOT LAWN MOWERS.

Whether small gardens or large areas of grass, with different Power X-Change robot mower models, accessory kits and setting options you have the right robot for every garden.

There are 2 ways to an individual Freelexo set tailored exactly to your garden:

# TWO WAYS TO GET YOUR FREELEXO





#### **SOLO VARIATION**







# ROBOT LAWN MOWERS

**FREELEXO** 

**EXPERT** 

- Cutting width: 18 cm
- Cutting height adjustment: infinitely / 20 60 mm / central
- Suitable for slopes: up to 35%
- Included in delivery: charging station

Incl. installation accessories (300 m<sup>2</sup>) but no battery

Art. No. 34.139.61

Incl. installation accessories (350 m<sup>2</sup>) and 1 battery (18 V | 2.0 Ah | Li-ion) Art. No. 34.139.62





- Brushless motor more power. prolonged operation
- Intuitive keypad
- **Programmable operating times**
- Energy-efficient thanks to the Eco Mode

# **FREELEXO BT**

**EXPERT** 

- Cutting width: 18 cm
- Cutting height adjustment: infinitely / 20 60 mm / central
- Suitable for slopes: up to 35%
- Included in delivery: charging station

Incl. installation accessories (400 m<sup>2</sup>) and 1 battery (18 V | 2.0 Ah | Li-ion) Art. No. 34.139.48

Incl. installation accessories (450 m<sup>2</sup>) but no battery

Art. No. 34.139.44

Incl. installation accessories (500 m<sup>2</sup>) and 1 battery (18 V | 2.5 Ah | Li-ion) Art. No. 43.263.63

Incl. installation accessories (600 m<sup>2</sup>) and 1 battery (18 V | 2.5 Ah | Li-ion) Art. No. 34.139.46

- Brushless motor more power, prolonged operation
- Individual programming/control via smartphone/APP (Bluetooth)
- Intuitive keypad
- Multi area mowing for complex gardens







# ROBOT LAWN MOWERS

#### FREELEXO LCD BT

**EXPERT** 

- Cutting width: 18 cm
- Cutting height adjustment: infinitely / 20 60 mm / central
- Suitable for slopes: up to 35%
- Included in delivery: charging station

Incl. installation accessories (800 m<sup>2</sup>) but no battery

Art. No. 34.139.53

Incl. installation accessories (900  $m^2$ ) and 1 battery (18 V | 3.0 Ah | Li-ion) Art. No. 34.139.55

Incl. installation accessories (1200 m²) and 1 battery (18 V | 5.2 Ah | Li-ion)

Art. No. 43.263.68



- Brushless motor more power, prolonged operation
- Individual programming/ control via smartphone/APP (Bluetooth)
- Intuitive keypad with LCD display
- Multi area mowing for complex gardens



#### FREELEXO LCD BT+

**EXPERT** 

- Cutting width: 18 cm
- Cutting height adjustment: infinitely / 20 60 mm / central
- Suitable for slopes: up to 35%
- Included in delivery: charging station

Incl. installation accessories (750  $m^2\!)$  and 1 battery (18 V  $\!|$  3.0 Ah  $\!|$  Li-ion)

Art. No. 34.139.81

Incl. installation accessories (500 m²) and 1 battery (18 V | 2.5 Ah | Li-ion) Art. No. 34.139.82





- Individual programming/control via smartphone/APP (Bluetooth\*)
- Individual programming/control via smartphone/APP (Bluetooth\*)
- Intuitive keypad with LCD display
- Multi area mowing for complex gardens
- Special mowing program: Spot Mowing and Border Area Mode
- Energy-efficient thanks to the Eco Mode

\* Larger range thanks to Bluetooth 5.0





**GP-CM 36/47 S HW Li** 

 Cutting width / for lawn areas of up to approx.: 47 cm / bis 700 m<sup>2</sup> Cutting height adjustment: 6 levels / 30 - 65 mm / central

Incl. 4 batteries (18 V | 4.0 Ah | Li-lon) and 2 Twinchargers

Art. No. 34.132.00

| <b>IIII</b> ) 1)       | 1.5 Ah | 2.0 Ah | 2.5 Ah             | 3.0 Ah             | 4.0 Ah             | 5.2 Ah              | 6.0 Ah             | 8.0 Ah             |
|------------------------|--------|--------|--------------------|--------------------|--------------------|---------------------|--------------------|--------------------|
| <b>&gt;&gt;&gt;</b> 2) | 125 m² | 175 m² | 215 m <sup>2</sup> | 250 m <sup>2</sup> | 350 m <sup>2</sup> | 500 m <sup>2</sup>  | 600 m <sup>2</sup> | 700 m <sup>2</sup> |
| <b>&gt;&gt;&gt;</b> 3) | 250 m² | 350 m² | 430 m²             | 500 m <sup>2</sup> | 700 m <sup>2</sup> | 1000 m <sup>2</sup> | 1200 m²            | 1400 m²            |

For best performance select batteries with at least 2.5 Ah

- 1) Battery capacity (2x batteries required)
- 2) Max. lawn area that can be mown per battery charge with 2 batteries (The stated area coverage is based on the assumption of ideal conditions) Max. lawn area that can be mown per battery charge with 4 batteries (The stated area coverage is based on the assumption of ideal conditions)

SOFT GRIP

Ergonomic and fatigue-proof operation

VARIABLE WHEEL DRIVE

Optimum adjustment of the speed to user requirements and the height of the grass

# 75 L NYLON CATCH BAG WITH FILL LEVEL INDICATOR

Optimum catching and filling characteristics

#### STEEL DECK

Exceptionally sturdy, robust and long-lasting

#### LAWN-FRIENDLY REAR WHEELS

The specially developed high and wide rear wheel with broad surface area are gentle on the grass and enable cutting over rough terrain

#### BRUSHLESS MOTOR

More power and longer operating times





#### DOUBLE TWINPACK **TECHNOLOGY**

Double Twinpack devices have slots for two additional rechargeable batteries. If, for example, two additional batteries are inserted. in the GP-CM 36/47 S HW Li lawn mower, such that all four rechargeable battery slots are filled, you can mow double the area without recharging.

Example (GP-CM 36/47 S HW Li): Twinpack  $2x 18 V = 350 m^2$ **Double Twinpack** 2x 18 V + 2x 18 V = $350 \text{ m}^2 + 350 \text{ m}^2 = 700 \text{ m}^2$ 





#### GE-CM 36/48 Li M

**EXPERT** 

- Cutting width: 48 cm
- For lawn areas of up to approx.: 1000 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 30 75 mm / axial

Article only available without batteries / chargers Art. No. 34.130.54

| (IIII) 1)              | 1.5 Ah  | 2.0 Ah | 2.5 Ah             | 3.0 Ah             | 4.0 Ah              | 5.2 Ah              | 6.0 Ah             | 8.0 Ah              |
|------------------------|---------|--------|--------------------|--------------------|---------------------|---------------------|--------------------|---------------------|
| <b>&gt;&gt;&gt;</b> 2) | 150 min | 250 m² | 260 m <sup>2</sup> | 300 m <sup>2</sup> | 500 m <sup>2</sup>  | 600 m <sup>2</sup>  | 700 m <sup>2</sup> | 1000 m <sup>2</sup> |
| <b>&gt;&gt;&gt;</b> 3) | 300 m²  | 500 m² | 520 m <sup>2</sup> | 600 m <sup>2</sup> | 1000 m <sup>2</sup> | 1200 m <sup>2</sup> | 1400 m²            | 2000 m <sup>2</sup> |

For best performance select batteries with at least 2.5 Ah

- Battery capacity (2x batteries required)
   Max. lawn area that can be mown per battery charge with 2 batteries
   Max. lawn area that can be mown per battery charge with 4 batteries (The stated area coverage is based on the assumption of ideal conditions)



#### GE-CM 36/43 Li M

**EXPERT** 

- Cutting width: 43 cm
- For lawn areas of up to approx.: 600 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 75 mm / central

Incl. 2 batteries (18 V | 4.0 Ah | Li-lon) and 2 chargers

Art. No. 34.132.40

Article without batteries / chargers

Art. No. 34.132.46

|                        |        |        |                    | 3.0 Ah             |                    |        |        |         |
|------------------------|--------|--------|--------------------|--------------------|--------------------|--------|--------|---------|
| <b>&gt;&gt;&gt;</b> 2) | 225 m² | 300 m² | 350 m <sup>2</sup> | 450 m <sup>2</sup> | 600 m <sup>2</sup> | 750 m² | 900 m² | 1200 m² |

For best performance select batteries with at least 2.5 Ah

- Battery capacity (2x batteries required)
   Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)



- Brushless motor –
- more power, prolonged operation
- 3-in-1 function: mowing, mulching, catching
- Individually adjustable long handle











- Brushless motor more power, prolonged operation
- 3-in-1 function: mowing, mulching, catching
- **■** Telescopic long handle



#### **RASARRO 36/42**

**PROFESSIONAL** 

- Cutting width: 42 cm
- For lawn areas of up to approx.: 550 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 75 mm / central

Incl. 2 batteries (18 V | 4.0 Ah | Li-lon) and 1 Twincharger

Art. No. 34.132.70

|                        |        |        |                    |                    |                    |        |        | 8.0 Ah              |
|------------------------|--------|--------|--------------------|--------------------|--------------------|--------|--------|---------------------|
| <b>&gt;&gt;&gt;</b> 2) | 250 m² | 300 m² | 350 m <sup>2</sup> | 450 m <sup>2</sup> | 550 m <sup>2</sup> | 725 m² | 875 m² | 1100 m <sup>2</sup> |

For best performance select batteries with at least 2.5 Ah

- Battery capacity (2x batteries required)
   Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)



#### TWIN-PACK® TECHNOLOGY

If a device needs more power than provided by a single 18 V rechargeable battery, we simply add a second battery so we generate 18 V + 18 V = 36 V. We call that Twin-Pack® Technology. If the voltage (V) gets doubled, the power (W) gets doubled, too.





#### GP-CM 36/41 Li

**PROFESSIONAL** 

- Cutting width: 41 cm
- For lawn areas of up to approx.: 500 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 75 mm / central

Article only available without batteries / chargers Art. No. 34.132.75

|                        | 1.5 Ah |        |                    |        |                    |                    |                    |                     |
|------------------------|--------|--------|--------------------|--------|--------------------|--------------------|--------------------|---------------------|
| <b>&gt;&gt;&gt;</b> 2) | 220 m² | 280 m² | 330 m <sup>2</sup> | 425 m² | 500 m <sup>2</sup> | 700 m <sup>2</sup> | 850 m <sup>2</sup> | 1000 m <sup>2</sup> |

For best performance select batteries with at least 2.5 Ah







- Brushless motor more power, prolonged operation
- Individually adjustable long handle
- Grass box with level indicator

#### **RASARRO 36/38**

**PROFESSIONAL** 

- Cutting width: 38 cm
- For lawn areas of up to approx.: 450 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 75 mm / central

Incl. 2 batteries (18 V | 4.0 Ah | Li-lon) and 1 Twincharger

Art. No. 34.131.80

|                        |        | 2.0 Ah |        |                    |                    |        |                    |        |
|------------------------|--------|--------|--------|--------------------|--------------------|--------|--------------------|--------|
| <b>&gt;&gt;&gt;</b> 2) | 250 m² | 300 m² | 330 m² | 400 m <sup>2</sup> | 450 m <sup>2</sup> | 700 m² | 800 m <sup>2</sup> | 900 m² |

For best performance select batteries with at least 2.5 Ah

more power, prolonged operation ■ 3-in-1 function: mowing, mulching, catching Telescopic long handle TWIN-PACK° BRUSHLESS 18V]+18V] 36V

Brushless motor –



<sup>1)</sup> Battery capacity (2x batteries required)

<sup>2)</sup> Max, lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)



#### GE-CM 36/37 Li

**EXPERT** 

- Cutting width: 37 cm
- For lawn areas of up to approx.: 400 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 75 mm / central

Incl. 2 batteries (18 V|3.0 Ah|Li-lon) and 2 chargers

Art. No. 34.131.70

Without batteries / chargers

Art. No. 34.131.72

| <b>1)</b>              | 1.5 Ah             | 2.0 Ah | 2.5 Ah             | 3.0 Ah             | 4.0 Ah             | 5.2 Ah             | 6.0 Ah             | 8.0 Ah             |
|------------------------|--------------------|--------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| <b>&gt;&gt;&gt;</b> 2) | 200 m <sup>2</sup> | 250 m² | 290 m <sup>2</sup> | 400 m <sup>2</sup> | 450 m <sup>2</sup> | 650 m <sup>2</sup> | 800 m <sup>2</sup> | 900 m <sup>2</sup> |

For best performance select batteries with at least 2.5 Ah



- Ergonomic handle
- Individually adjustable long handle
- Grass box with level indicator



#### GE-CM 36/36 Li

**EXPERT** 

- Cutting width: 36 cm
- For lawn areas of up to approx.: 400 m<sup>2</sup>
- Cutting height adjustment: 6 levels / 25 75 mm / central

Incl. 2 batteries (18 V | 4.0 Ah | Li-lon) and 2 chargers

Art. No. 34.132.30

|                            | 1.5 Ah |        |                    |                    |                    |                    |                    |        |
|----------------------------|--------|--------|--------------------|--------------------|--------------------|--------------------|--------------------|--------|
| <b>&gt;&gt;&gt;&gt;</b> 2) | 175 m² | 250 m² | 270 m <sup>2</sup> | 350 m <sup>2</sup> | 400 m <sup>2</sup> | 600 m <sup>2</sup> | 700 m <sup>2</sup> | 960 m² |

For best performance select batteries with at least 2.5 Ah

- Battery capacity (2x batteries required)
   Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

Brushless motor – more power, prolonged operation Individually adjustable long handle Grass box with level indicator TWIN-PACK° BRUSHLESS 18V)+[18V] 36V TECHNOLOGY GUT (2,0)







#### GE-CM 36/34-1 Li

**EXPERT** 

- Cutting width: 33.5 cm
- For lawn areas of up to approx.: 300 m<sup>2</sup>
- Cutting height adjustment: 5 levels / 25 65 mm / central

Article only available without batteries / chargers Art. No. 34.132.26

|                        | 1.5 Ah |                    |                    |                    |                    |                    |                    |                    |
|------------------------|--------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| <b>&gt;&gt;&gt;</b> 2) | 150 m² | 200 m <sup>2</sup> | 250 m <sup>2</sup> | 300 m <sup>2</sup> | 400 m <sup>2</sup> | 500 m <sup>2</sup> | 600 m <sup>2</sup> | 800 m <sup>2</sup> |

For best performance select batteries with at least 2.5 Ah



■ Individually adjustable long handle Grass box with level indicator

> TWIN-PACK® 18V 1+ 18V 1 36V TECHNOLOGY

#### GE-CM 36/33 Li

**EXPERT** 

- Cutting width: 33 cm
- For lawn areas of up to approx.: 250 m<sup>2</sup>
- Cutting height adjustment: 5 levels / 25 65 mm / central

Incl. 2 batteries (18 V|2.5 Ah|Li-Ion) and 2 chargers

Art. No. 34.132.10

|                         |        | 2.0 Ah |                    |                    |                    |                    |                    |                    |
|-------------------------|--------|--------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| <b>&gt;&gt;&gt; </b> 2) | 150 m² | 200 m² | 250 m <sup>2</sup> | 300 m <sup>2</sup> | 400 m <sup>2</sup> | 500 m <sup>2</sup> | 600 m <sup>2</sup> | 800 m <sup>2</sup> |

For best performance select batteries with at least 2.5 Ah





Battery capacity (2x batteries required)
 Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)



#### GE-CM 18/33 Li

**EXPERT** 

Cutting width: 33 cm

For lawn areas of up to approx.: 200 m<sup>2</sup>

Cutting height adjustment: 5 levels / 25 - 65 mm / central

Incl. 1 battery (18 V | 4.0 Ah | Li-lon) and 1 charger Art. No. 34.132.60 Without battery / charger Art. No. 34.132.66

|                         |       | 2.0 Ah |        |        |                    |                    |                    |                    |
|-------------------------|-------|--------|--------|--------|--------------------|--------------------|--------------------|--------------------|
| <b>&gt;&gt;&gt; </b> 2) | 50 m² | 100 m² | 140 m² | 180 m² | 250 m <sup>2</sup> | 300 m <sup>2</sup> | 350 m <sup>2</sup> | 500 m <sup>2</sup> |

For best performance select a battery with at least 2.5 Ah



#### GE-CM 18/32 Li

**EXPERT** 

- Cutting width: 32 cm
- For lawn areas of up to approx.: 180 m<sup>2</sup>
- Cutting height adjustment: 3 levels / 30 70 mm / axial

Article only available without battery / charger Art. No. 34.132.56

|                        | 1.5 Ah            |        |        |        |                    |        |                    |                    |
|------------------------|-------------------|--------|--------|--------|--------------------|--------|--------------------|--------------------|
| <b>&gt;&gt;&gt;</b> 2) | 50 m <sup>2</sup> | 100 m² | 140 m² | 180 m² | 250 m <sup>2</sup> | 300 m² | 350 m <sup>2</sup> | 500 m <sup>2</sup> |

For best performance select a battery with at least 2.5 Ah



- Brushless motor more power, prolonged operation
- Individually adjustable long handle



- 1) Battery capacity
- Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)





#### GE-CM 18/30 Li

**EXPERT** 

- Cutting width: 30 cm
- For lawn areas of up to approx.: 150 m<sup>2</sup>
- Cutting height adjustment: 3 levels / 30 70 mm / axial

Incl. 1 battery (18 V | 3.0 Ah | Li-lon) and 1 chargerArt. No. 34.131.55Without battery / chargerArt. No. 34.131.57

|                         |       |       |                    |                    |                    | 5.2 Ah |                    |                    |
|-------------------------|-------|-------|--------------------|--------------------|--------------------|--------|--------------------|--------------------|
| <b>&gt;&gt;&gt; 2</b> ) | 30 m² | 70 m² | 100 m <sup>2</sup> | 150 m <sup>2</sup> | 210 m <sup>2</sup> | 270 m² | 300 m <sup>2</sup> | 420 m <sup>2</sup> |

For best performance select a battery with at least 2.5 Ah



# **CORDLESS PUSH REEL MOWER 18 V**

#### GE-HM 18/38 Li

**EXPERT** 

- Cutting width: 38 cm
- Cutting height adjustment: 4 levels / 14 38 mm
- Grass box capacity: 45 I

Article only available without battery / charger Art. No. 34.142.00

| <b>1)</b>               | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah             | 4.0 Ah             | 5.2 Ah             | 6.0 Ah             | 8.0 Ah             |
|-------------------------|--------|--------|--------|--------------------|--------------------|--------------------|--------------------|--------------------|
| <b>&gt;&gt;&gt; 2</b> ) | 100 m² | 150 m² | 190 m² | 250 m <sup>2</sup> | 300 m <sup>2</sup> | 400 m <sup>2</sup> | 450 m <sup>2</sup> | 600 m <sup>2</sup> |

For best performance select a battery with at least 2.5 Ah

- 1) Battery capacity
- <sup>2)</sup> Max, lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)







# GC-PM 46 SM HW-E Li

CLASSIC

- Engine / displacement / power: 4-stroke, 146 cm³, 2.0 kW
- Cutting width: 46 cm
- For lawn areas of up to approx.: 1400 m<sup>2</sup>
- Cutting height adjustment: 9 levels / 25 80 mm / central

Incl. 1 battery (18 V | 2.0 Ah | Li-lon) and 1 charger (3 A)

Art. No. 34.075.60

| <b>IIII)</b> 1)        | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah |
|------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt;</b> 2) | 145    | 193    | 242    | 290    | 386    | 502    | 580    | 772    |
|                        | starts |

- 2) Rechargeable batteries with a higher energy content or higher capacity enable correspondingly more starts. The possible number of starts is dependent on various influencing factors, e.g. temperature of the motor, ambient temperature, etc.



#### POWER X-CHANGE ELECTRIC START

Easy-to-start petrol engine thanks to the electric start function with the assistance of the Power X-Change battery system – at just the push of a button:

- None of the hassle of starting up with a pull starter
- The rechargeable battery can also be used for other Power X-Change products





### **CORDLESS SCARIFIERS/AERATORS 36 V**

#### GE-SC 35/1 Li

**EXPERT** 

- Working width: 35 cm
- For lawn areas of up to approx.: 400 m<sup>2</sup>
- Working depth adjustment: 3 levels (3 / 6 / 9 mm) + transport position (-3 mm)
- Number of scarifying blades: 16 pcs

Article only available without batteries / chargers Art. No. 34,206,50

|                         |        | 2.0 Ah |        |                    |                    |                    |   | 8.0 Ah |
|-------------------------|--------|--------|--------|--------------------|--------------------|--------------------|---|--------|
| <b>&gt;&gt;&gt; 2</b> ) | 115 m² | 150 m² | 190 m² | 225 m <sup>2</sup> | 300 m <sup>2</sup> | 400 m <sup>2</sup> | - | -      |

For best performance select batteries with at least 2.5 Ah

- Brushless motor more power, prolonged operation
  - Optional extensible with aerator roller and catch bag
  - Individually adjustable long handle





#### GC-SC 36/31 Li


CLASSIC

- Working width: 31 cm
- For lawn areas of up to approx.: 350 m<sup>2</sup>
- Working depth adjustment: 3 levels (3 / 6 / 9 mm) + transport position (-3 mm)
- Number of scarifying blades: 8 double-knives

Article only available without batteries / chargers Art. No. 34.206.60

| <b>IIII)</b> 1          | 1.5 Ah | 2.0 Ah | 2.5 Ah             | 3.0 Ah             | 4.0 Ah             | 5.2 Ah             | 6.0 Ah             | 8.0 Ah             |
|-------------------------|--------|--------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| <b>&gt;&gt;&gt; </b> 2) | 80 m²  | 100 m² | 130 m <sup>2</sup> | 200 m <sup>2</sup> | 250 m <sup>2</sup> | 300 m <sup>2</sup> | 350 m <sup>2</sup> | 500 m <sup>2</sup> |

For best performance select batteries with at least 2.5 Ah



Battery capacity (2x batteries required)
 Max. lawn area that can be scarified per battery charge (The stated area coverage is based on the assumption of ideal conditions)





### **CORDLESS SCARIFIERS/AERATOR 18 V**

GC-SC 18/28 Li

CLASSIC

Working width: 28 cm

For lawn areas of up to approx.: 200 m<sup>2</sup>

■ Working depth adjustment: 3 levels (2 / 4 / 6 mm) + transport position (-2 mm)

■ Number of scarifying blades: 12 rotating blades

Article only available without battery / charger Art. No. 34,206,04

|                         |       | 2.0 Ah |                    |        |        |                    |        |        |
|-------------------------|-------|--------|--------------------|--------|--------|--------------------|--------|--------|
| <b>&gt;&gt;&gt; 2</b> ) | 60 m² | 80 m²  | 100 m <sup>2</sup> | 120 m² | 160 m² | 210 m <sup>2</sup> | 240 m² | 350 m² |

For best performance select a battery with at least 2.5 Ah

- 1) Battery capacity
- Max. Jawn area that can be scarified per battery charge (The stated area coverage is based on the assumption of ideal conditions)



- Brushless motor more power, prolonged operation
- Optional extensible with aerator roller and catch bag
- Individually adjustable long handle



### **CORDLESS UNIVERSAL SPREADER 18 V**

### GE-US 18 Li

**EXPERT** 

- Capacity: 3.3 l
- Spread width: max. 5 m
- Suitable for: fertiliser, grass seed and salt

Article only available without battery / charger Art. No. 34.154.10

| 1)                         | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah |
|----------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt;&gt;</b> 2) | 2 h    | 3 h    | 4 h    | 6 h    | 7 h    | 9 h    | 10 h   | 14 h   |

- Battery capacity
- 2) Max. operating time per battery charge

- Electronic speed control (6 settings)
- Flow rate adjustment (8-stage)
- Adjustable spread width



### **CORDLESS TILLER 36 V**

GE-CR 30 Li

**EXPERT** 

Working width: 30 cm

Working depth: 20 cmNumber of blades: 4 pcs

Article only available without batteries / chargers Art. No. 34.312.00

|                         |        | 2.0 Ah |        |        |        |        |        |        |
|-------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt; 2</b> ) | 15 min | 20 min | 21 min | 25 min | 35 min | 50 min | 60 min | 70 min |

For best performance select batteries with at least 2.5 Ah

1) Battery capacity (2x batteries required)

2) Max. operating time per battery charge in idle mode

### **CORDLESS TILLER 18 V**

GE-CR 18/20 Li E

**EXPERT** 

- Working width: 20 cm
- Working depth: 20 cm
- Number of blades: 4 pcs

Article only available without battery / charger Art. No. 34.312.10

| <b>(1)</b>             | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah  |
|------------------------|--------|--------|--------|--------|--------|--------|--------|---------|
| <b>&gt;&gt;&gt;</b> 2) | 20-25  | 20-35  | 30-40  | 40-50  | 50-70  | 70-90  | 80-100 | 100-140 |
|                        | min     |

- 1) Battery capacity
- 2) Max. operating time per battery charge in idle mode



- Height-adjustable wheels for easy transportation
- Ergonomic handlebar
- **■** Folding handlebar





■ Height adjustable additional handle

Split shaft







### **CORDLESS EARTH AUGER 18 V**

#### GP-EA 18/150 Li BL

**PROFESSIONAL** 

Drilling diameter: 150 mm

■ Drill bit length: 800 mm

■ Speed: 125 min<sup>-1</sup>

Article only available without battery / charger Art. No. 34.370.00

|                        |        |        | 2.5 Ah |        |        |        |        |        |
|------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt;</b> 2) | 10 pcs | 15 pcs | 20 pcs | 30 pcs | 40 pcs | 50 pcs | 60 pcs | 80 pcs |

For best performance select a battery with at least 2.5 Ah

1) Battery capacity

### **CORDLESS SNOW THROWER 18 V**

#### GE-ST 36/40 Li E

**EXPERT** 

- Working width: 40 cm
- Max. snow height: 20 cm
- Throwing distance max.: 6 m

Article only available without battery / charger Art. No. 34.170.11

|                         |        |        |        |        |        |        | 6.0 Ah |        |
|-------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt; </b> 2) | 15 min | 20 min | 25 min | 30 min | 40 min | 50 min | 60 min | 80 min |

For best performance select batteries with at least 4.0 Ah



<sup>2)</sup> Bohren in normalen bis weichen Untergrund (40 cm Tiefe)

Battery capacity (2x batteries required)
 Max. operating time per battery charge in idle mode



### **CORDLESS SCYTHE 36 V**

#### **AGILLO 36/255 BL**

**EXPERT** 

**EXPERT** 

- Cutting width blade / thread: 25.5 cm / 30 cm
- Thread diameter: 2.0 mm
- Thread length: 8 m
- Incl.: line spool and 3-teeth blade

Article only available without batteries / chargers Art. No. 34.113.20

|                        |        | 2.0 Ah |        |        |        |        |        |         |
|------------------------|--------|--------|--------|--------|--------|--------|--------|---------|
| <b>&gt;&gt;&gt;</b> 2) | 20 min | 30 min | 35 min | 45 min | 65 min | 80 min | 90 min | 130 min |
| <b>&gt;&gt;&gt;</b> 3) | 15 min | 25 min | 28 min | 35 min | 45 min | 60 min | 70 min | 90 min  |

For best performance select batteries with at least 2.5 Ah

- Battery capacity (2x batteries required)
   Max. operating time per battery charge in idle mode (blade)
   Max. operating time per battery charge in idle mode (thread spool)



- Brushless motor more power, prolonged operation
- Spindle Lock
- Ergonomic and low-vibration bike handle





### **CORDLESS SCYTHE 18 V**

#### **AGILLO 18/200**

Cutting width blade / thread: 20 cm / 30 cm

- Thread diameter: 2.0 mm
- Thread length: 8 m
- Incl.: line spool and 3-teeth blade

Article only available without battery / charger Art. No. 34.113.10

| (IIII) 1)               | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah  |
|-------------------------|--------|--------|--------|--------|--------|--------|--------|---------|
| <b>&gt;&gt;&gt; </b> 2) | 15 min | 20 min | 25 min | 35 min | 50 min | 65 min | 75 min | 100 min |
| <b>&gt;&gt;&gt;</b> 3)  | 10 min | 12 min | 15 min | 20 min | 30 min | 45 min | 55 min | 60 min  |

For best performance select a battery with at least 2.5 Ah

- 1) Battery capacity
- Max. operating time per battery charge in idle mode (blade)
   Max. operating time per battery charge in idle mode (thread spool)



- Spindle Lock
- High-quality comfort carrying belt





### **CORDLESS LAWN TRIMMER 36 V**

#### GE-CT 36/30 Li E

**EXPERT** 

Cutting width: 30 cm

■ Thread diameter: 2.0 mm

■ Thread length: 8 m

Article only available without batteries / chargers Art. No. 34.113.00

| 1)                     | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah  |
|------------------------|--------|--------|--------|--------|--------|--------|--------|---------|
| <b>&gt;&gt;&gt;</b> 2) | 20 min | 30 min | 38 min | 45 min | 60 min | 75 min | 90 min | 120 min |

For best performance select batteries with at least 2.5 Ah

1) Battery capacity (2x batteries required)

2) Max. operating time per battery charge in idle mode

### **CORDLESS LAWN TRIMMERS 18 V**

GE-CT 18/30 Li

**EXPERT** 

Cutting width: 30 cm

■ Thread diameter: 1.6 mm

■ Thread length: 5 m

Article only available without battery / charger Art. No. 34.112.50

|                         |        | 2.0 Ah |        |        |        |        |        |         |
|-------------------------|--------|--------|--------|--------|--------|--------|--------|---------|
| <b>&gt;&gt;&gt; </b> 2) | 20 min | 30 min | 38 min | 45 min | 60 min | 75 min | 90 min | 120 min |

1) Battery capacity

2) Max. operating time per battery charge in idle mode



### **CORDLESS LAWN TRIMMERS 18 V**



- Cutting width: 28 cmThread diameter: 1.6 mm
- Thread length: 5 m

Article only available without battery / charger Art. No. 34.112.12

| <b>IIII)</b> 1)         | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah  |
|-------------------------|--------|--------|--------|--------|--------|--------|--------|---------|
| <b>&gt;&gt;&gt; </b> 2) | 30 min | 40 min | 45 min | 50 min | 60 min | 70 min | 90 min | 120 min |



<sup>1)</sup> Battery capacity
2) Max. operating time per battery charge in idle mode



### **CORDLESS LAWN TRIMMERS 18 V**

**GE-CT 18/28 Li** 

**EXPERT** 

Cutting width: 28 cmThread diameter: 1.6 mm

■ Thread length: 5 m

Article only available without battery / charger Art. No. 34.112.42

|                        |        | 2.0 Ah |        |        |        |        |        |         |
|------------------------|--------|--------|--------|--------|--------|--------|--------|---------|
| <b>&gt;&gt;&gt;</b> 2) | 30 min | 40 min | 45 min | 50 min | 60 min | 70 min | 90 min | 120 min |

■ Telescopic long handle ■ Motor head rotatable and tiltable Automatic feeding line spool

GE-CT 18 Li

**EXPERT** 

Cutting width: 24 cm

Incl.: box with 20 plastic blades

Incl. 1 battery (18 V | 2.0 Ah | Li-lon) and 1 charger Art. No. 34.111.97 Without battery / charger Art. No. 34.111.72

|                         |        | 2.0 Ah |        |        |         |         |         |         |
|-------------------------|--------|--------|--------|--------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt; 2</b> ) | 40 min | 55 min | 65 min | 80 min | 125 min | 160 min | 180 min | 250 min |



Battery capacity
 Max. operating time per battery charge in idle mode



### **CORDLESS LAWN TRIMMERS 18 V**

GC-CT 18/24 Li

CLASSIC

Cutting width: 24 cm

■ Incl.: 20 plastic blades

Incl. 1 battery (18 V | 2.0 Ah | Li-Ion) and 1 charger Art. No. 34.111.25 Without battery / charger Art. No. 34.111.23

|                         |        | 2.0 Ah |        |        |         |         |         |         |
|-------------------------|--------|--------|--------|--------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt; 2</b> ) | 40 min | 55 min | 65 min | 80 min | 125 min | 160 min | 180 min | 250 min |

GC-CT 18/24 Li P

CLASSIC

Cutting width: 24 cm

■ Incl.: 20 plastic blades

Incl. 1 battery (18 V | 1.5 Ah | Li-lon) and 1 charger Art. No. 34.111.02 Without battery / charger Art. No. 34.111.04

|                         |        | 2.0 Ah |        |        |         |         |         |         |
|-------------------------|--------|--------|--------|--------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt; 2</b> ) | 40 min | 55 min | 65 min | 80 min | 125 min | 160 min | 180 min | 250 min |



Battery capacityMax. operating time per battery charge in idle mode



### **CORDLESS LAWN EDGE TRIMMER 18 V**

GE-LE 18/190 Li

**EXPERT** 

Min. cutting depth: 36.5 mm

Max. cutting depth: 45 mm

■ Blade length: 190 mm

Cutting depth settings: 36.5 / 40 / 45 mm

Article only available without battery / charger Art. No. 34.243.00

|                        |        |        |        |        |        | 5.2 Ah |        |         |
|------------------------|--------|--------|--------|--------|--------|--------|--------|---------|
| <b>&gt;&gt;&gt;</b> 2) | 20 min | 25 min | 33 min | 45 min | 55 min | 65 min | 75 min | 110 min |

### **CORDLESS GROUT CLEANER 18 V**

GC-CC 18 Li

CLASSIC

- Charging time / running time: 40 / 45 min
- Diameter of brush: 10 cm
- Incl.: 1 steel brush (15 mm) and 1 nylon brush (10 mm)

Incl. 1 battery (18 V | 2.0 Ah | Li-lon) and 1 charger Art. No. 34.240.51 Without battery / charger Art. No. 34.240.50

|                        |        |        |        |        |        | 5.2 Ah  |         |         |
|------------------------|--------|--------|--------|--------|--------|---------|---------|---------|
| <b>&gt;&gt;&gt;</b> 2) | 30 min | 45 min | 50 min | 60 min | 90 min | 120 min | 135 min | 180 min |

- 1) Battery capacity
- 2) Max. operating time per battery charge in idle mode





### **CORDLESS SURFACE BRUSH 18 V**

PICOBELLA

Max. working width: 215 mm

■ Diameter of brush: 115 mm

■ Idle speed: 800 - 1400 min<sup>-1</sup>

■ 2-in-1 function: wet and dry cleaning

Incl. brush MEDIUM but no battery / charger Art. No. 34.242.00
Incl. brush SOFT but no battery / charger Art. No. 34.242.01

| 1)                     | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah |
|------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt;</b> 2) | 8-25   | 10-30  | 12-34  | 17-46  | 20-55  | 25-70  | 29-90  | 40-110 |
|                        | min    |

1) Battery capacity

- Just one work step for thorough, complete wet cleaning thanks to the integrated garden hose connection
- A special side brush is suitable for perimeter work right up to the edge
- Changeable brushes



<sup>2)</sup> Max. operating time per battery charge in idle mode



### **CORDLESS HEDGE TRIMMERS 36 V**



#### GE-CH 36/65 Li

**EXPERT** 

- Bar length / cutting length: 720 mm / 650 mmSpacing between teeth: 30 mm

Article only available without batteries / chargers Art. No. 34.109.60

| <b>IIII)</b> 1)            | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah  | 4.0 Ah  | 5.2 Ah  | 6.0 Ah  | 8.0 Ah  |
|----------------------------|--------|--------|--------|---------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt;&gt;</b> 2) | 60 min | 75 min | 93 min | 120 min | 150 min | 180 min | 225 min | 300 min |

<sup>1)</sup> Battery capacity (2x batteries required)
2) Max. operating time per battery charge in idle mode



### **CORDLESS HEDGE TRIMMERS 36 V**

#### GE-CH 36/61 Li

**EXPERT** 

- Bar length / cutting length: 670 mm / 610 mm
- Spacing between teeth: 26 mm

Article only available without batteries / chargers Art. No. 34.109.65

|                         | 1.5 Ah |        |        |         |         |         |         |         |
|-------------------------|--------|--------|--------|---------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt; </b> 2) | 54 min | 72 min | 80 min | 105 min | 144 min | 168 min | 210 min | 288 min |

- 1) Battery capacity (2x batteries required)
  2) Max. operating time per battery charge in idle mode



### **CORDLESS HEDGE TRIMMERS 18 V**

#### GE-CH 18/60 Li

**EXPERT** 

- Bar length / cutting length: 670 mm / 600 mm
- Spacing between teeth: 22 mm

Article only available without battery / charger Art. No. 34.109.30

|                            |        |        |        |        |        |         | 6.0 Ah  |         |
|----------------------------|--------|--------|--------|--------|--------|---------|---------|---------|
| <b>&gt;&gt;&gt;&gt;</b> 2) | 35 min | 45 min | 53 min | 70 min | 90 min | 110 min | 135 min | 180 min |

- 1) Battery capacity
- 2) Max. operating time per battery charge in idle mode







### **CORDLESS HEDGE TRIMMERS 18 V**

**ARCURRA 18/55** 

**EXPERT** 

- Bar length / cutting length: 620 mm / 550 mm
- Spacing between teeth: 18 mm

Article only available without battery / charger Art. No. 34.109.20

|                         |        |        |        |        |        | 5.2 Ah  |         |         |
|-------------------------|--------|--------|--------|--------|--------|---------|---------|---------|
| <b>&gt;&gt;&gt; </b> 2) | 35 min | 45 min | 53 min | 70 min | 90 min | 110 min | 135 min | 180 min |



#### GC-CH 1855/1 Li

CLASSIC

- Bar length / cutting length: 620 mm / 550 mm
- Spacing between teeth: 18 mm

Incl. 1 battery (18 V | 2.5 Ah | Li-Ion) and 1 charger Art. No. 34.105.06 Without battery / charger Art. No. 34.105.02

|                         |        |        |         | 3.0 Ah  |         |         |         |         |
|-------------------------|--------|--------|---------|---------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt; 2</b> ) | 60 min | 80 min | 100 min | 120 min | 160 min | 210 min | 240 min | 320 min |



86

<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. operating time per battery charge in idle mode



### **CORDLESS HEDGE TRIMMERS 18 V**

GC-CH 1846 Li

CLASSIC

- Bar length / cutting length: 520 mm / 460 mm
- Spacing between teeth: 15 mm

Incl. 1 battery (18 V | 2.0 Ah | Li-lon) and 1 charger Art. No. 34.106.83 Without battery / charger Art. No. 34.106.42

| _                       | 1.5 Ah |        |         |         |         |         |         |         |
|-------------------------|--------|--------|---------|---------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt; 2</b> ) | 60 min | 80 min | 100 min | 120 min | 160 min | 210 min | 240 min | 320 min |



### GC-CH 18/40 Li

CLASSIC

- Bar length / cutting length: 475 mm / 400 mm
- Spacing between teeth: 13 mm

Article only available without battery / charger Art. No. 34.109.40

|                            |        |        |        |        |         | 5.2 Ah  |         |         |
|----------------------------|--------|--------|--------|--------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt;&gt;</b> 2) | 40 min | 53 min | 67 min | 80 min | 106 min | 139 min | 160 min | 212 min |



Battery capacity
 Max. operating time per battery charge in idle mode



### **CORDLESS MULTIFUNCTIONAL TOOL 36 V**



- Bar length (chainsaw): 200 mm

- Chain cutting speed: 10 m/s
   Blade length of hedge trimmer: 450 mm
   Spacing between teeth (hedge trimmer): 24 mm
   Cutting width line spool / 3-teeth blade: 33 cm / 25.5 cm

Article only available without batteries / chargers Art. No. 34.109.01

| ĺ | (IIII) 1)              | 1.5 Ah | 2.0 Ah | 2.5 Ah  | 3.0 Ah  | 4.0 Ah  | 5.2 Ah  | 6.0 Ah  | 8.0 Ah  |
|---|------------------------|--------|--------|---------|---------|---------|---------|---------|---------|
|   | <b>&gt;&gt;&gt;</b> 2) | 26 min | 34 min | 41 min  | 54 min  | 68 min  | 86 min  | 108 min | 136 min |
|   | <b>&gt;&gt;&gt;</b> 3) | 20 min | 27 min | 33 min  | 44 min  | 54 min  | 66 min  | 88 min  | 108 min |
|   | <b>&gt;&gt;&gt;</b> 4) | 20 min | 28 min | 33 min  | 40 min  | 56 min  | 66 min  | 80 min  | 112 min |
|   | <b>&gt;&gt;&gt;</b> 5) | 60 pcs | 80 pcs | 100 pcs | 120 pcs | 160 pcs | 200 pcs | 240 pcs | 320 pcs |

- Battery capacity (2x batteries required)
  Max. operating time per battery charge in idle mode (soythe)
  Max. operating time per battery charge in idle mode (lawn trimmer)
  Max. operating time per battery charge in idle mode (lelescopic hedge trimmer)
  Max. operating time per battery charge in idle mode (lelescopic hedge trimmer)
  Max. cuts through 70 x 70 mm square timber per battery charge (pole-mounted pruner)



### **CORDLESS MULTIFUNCTIONAL TOOL 18 V**

#### GE-HC 18 Li T

**EXPERT** 

- Bar length (chainsaw): 200 mm
- Chain cutting speed: 3.76 m/s
- Max. cutting length hedge trimmer: 450 mm
- Spacing between teeth (hedge trimmer): 16 mm

Incl. 1 battery (18 V | 3.0 Ah | Li-Ion) and 1 charger Art. No. 34.108.05 Without battery / charger Art. No. 34.108.00

|                        |        | 2.0 Ah |        |        |        |         |         |         |
|------------------------|--------|--------|--------|--------|--------|---------|---------|---------|
| <b>&gt;&gt;&gt;</b> 2) | 30 pcs | 40 pcs | 48 pcs | 60 pcs | 75 pcs | 100 pcs | 120 pcs | 150 pcs |
| <b>&gt;&gt;&gt;</b> 3) | 20 min | 30 min | 35 min | 40 min | 60 min | 75 min  | 80 min  | 120 min |

For best performance select a battery with at least 2.5 Ah

- 1) Battery capacity
- Max. cuts through 70 x 70 mm square timber per battery charge (pole-mounted pruner)
   Max. operating time per battery charge in idle mode (telescopic hedge trimmer)



### **CORDLESS** POLE-MOUNTED PRUNERS **ACCESSORIES**

**Hedge Trimmer** 

**ACCESSORY** 

Can be used for: GE-LC 18 Li T

Art. No. 34.108.18



### **CORDLESS** TELESCOPIC HEDGE TRIMMERS **ACCESSORIES**

**Pole Pruner** 

ACCESSORY

Can be used for: GE-HH 18/45 Li T

Art. No. 34.108.35





FITTED WITH **OREGO** CHAIN AND BAR

### **CORDLESS POLE-MOUNTED PRUNERS 18 V**

GE-LC 18 Li T

Bar length / cutting length: 200 mm / 170 mm

Cutting speed: 3.76 m/s

Article only available without battery / charger Art. No. 34.108.10

|                         |        |        |        |        |        | 5.2 Ah  |         |         |
|-------------------------|--------|--------|--------|--------|--------|---------|---------|---------|
| <b>&gt;&gt;&gt; </b> 2) | 30 pcs | 40 pcs | 48 pcs | 60 pcs | 75 pcs | 100 pcs | 120 pcs | 150 pcs |

For best performance select a battery with at least 2.5 Ah



- 90° swivel attachment for horizontal cuts
- Main handle + motor head tiltable by several settings
- Toolless chain tensioning and changing



**EXPERT** 

#### GC-LC 18/20 Li T

CLASSIC

- Bar length / cutting length: 200 mm / 195 mm
- Cutting speed: 5.5 m/s

Article only available without battery / charger Art. No. 34.105.81

|                         | 1.5 Ah |        |        |        |         |         |         |         |
|-------------------------|--------|--------|--------|--------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt; </b> 2) | 37 pcs | 50 pcs | 65 pcs | 75 pcs | 100 pcs | 130 pcs | 155 pcs | 200 pcs |

For best performance select a battery with at least 2.5 Ah

- Telescopic aluminium handle with extension
- Automatic chain lubrication
- Metal gear box



- $^{1)}$  Battery capacity  $^{2)}$  Max. cuts through 70 x 70 mm square timber per battery charge

90



### CORDLESS TELESCOPIC HEDGE TRIMMERS 18 V

**GE-HH 18/45 Li T** 

**EXPERT** 

- Bar length / cutting length: 450 mm / 400 mm
- Spacing between teeth: 16 mm

Article only available without battery / charger Art. No. 34.108.66

|                         |        |        |        |        |        |        |        | 8.0 Ah  |
|-------------------------|--------|--------|--------|--------|--------|--------|--------|---------|
| <b>&gt;&gt;&gt; </b> 2) | 20 min | 30 min | 35 min | 40 min | 60 min | 75 min | 80 min | 120 min |



■ Metal gear box

#### GC-HH 18/45 Li T

CLASSIC

- Bar length / cutting length: 450 mm / 410 mm
- Spacing between teeth: 18 mm

Article only available without battery / charger Art. No. 34.105.85

| <b>()</b>              | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah  |
|------------------------|--------|--------|--------|--------|--------|--------|--------|---------|
| <b>&gt;&gt;&gt;</b> 2) | 20 min | 28 min | 33 min | 40 min | 56 min | 66 min | 80 min | 112 min |

- Motor head tiltable by multiple settings
- Swivelling main handle



<sup>■</sup> Laser-cut and diamond-ground blades

Battery capacity
 Max. operating time per battery charge in idle mode



### **TOP-HANDLED CORDLESS CHAINSAW 18 V**



#### **FORTEXXA 18/20 TH**

**PROFESSIONAL** 

- Bar length / cutting length: 200 mm / 140 mm
- Cutting speed: 7 m/s
- Oil tank capacity: 75 ml

Article only available without battery / charger Art. No. 46.000.20

|                         |        | 2.0 Ah |         |         |         |         |         |         |
|-------------------------|--------|--------|---------|---------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt; 2</b> ) | 60 pcs | 80 pcs | 100 pcs | 120 pcs | 160 pcs | 210 pcs | 240 pcs | 320 pcs |

For best performance select a battery with at least 2.5 Ah

WARNING: This chainsaw may only be used by trained tree care workers. Misactions in compliance with safety instructions and instructions may cause serious injuries.

 $<sup>^{1)}</sup>$  Battery capacity  $^{2)}$  Max. cuts through 70 x 70 mm square timber per battery charge



### **CORDLESS CHAINSAW 36 V**

#### GE-LC 36/35 Li

**EXPERT** 

- Bar length / cutting length: 350 mm / 330 mm
- Cutting speed: 15 m/s
- Oil tank capacity: 115 ml

Article only available without batteries / chargers Art. No. 45.017.80

|                            |         |         |         |         |         | 5.2 Ah  |         |         |
|----------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt;&gt;</b> 2) | 120 pcs | 160 pcs | 200 pcs | 240 pcs | 320 pcs | 420 pcs | 480 pcs | 640 pcs |

For best performance select batteries with at least 3.0 Ah

- 1) Battery capacity (2x batteries required)
- <sup>2)</sup> Max. cuts through 70 x 70 mm square timber per battery charge







### **CORDLESS CHAINSAWS 18 V**

#### FORTEXXA 18/30

**EXPERT** 

- Bar length / cutting length: 300 mm / 270 mm
- Cutting speed Eco/High: 6.0 / 8.9 m/s
- Oil tank capacity: 160 ml

Art. No. 46.000.10 Article only available without battery / charger

| 1)                      | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah  | 4.0 Ah  | 5.2 Ah  | 6.0 Ah  | 8.0 Ah  |
|-------------------------|--------|--------|--------|---------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt; 2</b> ) | 53 pcs | 70 pcs | 88 pcs | 105 pcs | 140 pcs | 182 pcs | 210 pcs | 280 pcs |
| <b>&gt;&gt;&gt;</b> 3)  | 59 pcs | 78 pcs | 98 pcs | 117 pcs | 156 pcs | 203 pcs | 234 pcs | 312 pcs |

For best performance select a battery with at least 4.0 Ah

- 1) Battery capacity
- Max. cuts through 70 x 70 mm square timber per battery charge (High Power mode)
   Max. cuts through 70 x 70 mm square timber per battery charge (Eco mode)





- Adjustable chain speed, depending on the application
- Toolless chain tensioning and changing







### **CORDLESS CHAINSAWS 18 V**

#### GE-LC 18/25 Li

**EXPERT** 

Bar length / cutting length: 250 mm / 230 mm

- Cutting speed: 4.5 m/s
- Oil tank capacity: 200 ml

Incl. 1 battery (18 V | 3.0 Ah | Li-lon) and 1 charger Art. No. 45.017.60 Without battery / charger Art. No. 45.017.61

|                         |        | 2.0 Ah |        |         |         |         |         |         |
|-------------------------|--------|--------|--------|---------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt; 2</b> ) | 50 pcs | 70 pcs | 85 pcs | 100 pcs | 130 pcs | 180 pcs | 200 pcs | 260 pcs |

For best performance select a battery with at least 2.5 Ah



- Toolless chain tensioning and changing
- Automatic chain lubrication
- Sturdy stop claws made of metal

### **CORDI ESS CHAIN SHARPENER 18 V**

GE-CS 18 Li

**EXPERT** 

- Grinding wheel diameter (inside): 23 mm
- Grinding wheel diameter (outside): 108 mm
- Grinding wheel thickness: 3.2 mm

Article only available without battery / charger Art. No. 44,999,40

|                         | 1.5 Ah  |         |         |         |         |         |         |         |
|-------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt; 2</b> ) | 180 min | 240 min | 300 min | 390 min | 480 min | 660 min | 780 min | 960 min |

- Battery capacity
- 2) Max. operating time per battery charge in idle mode

- Depth stop
- Scale for precise setting of the grinding angle
- Clamping device



<sup>1)</sup> Battery capacity

<sup>2)</sup> Max. cuts through 70 x 70 mm square timber per battery charge



### **CORDLESS LEAF VACUUMS 36 V**

#### GE-CL 36/230 Li E

**EXPERT** 

- Max. blow velocity: 230 km/h
- Max. suction power / max. blowing air flow: 700 / 225 m³/h
- Shredding function: 10:1
- Product weight: 3.1 kg (blow) und 4.4 kg (vacuum)

Article only available without batteries / chargers Art. No. 34.336.30

| <b>( )</b>             | 1.5 Ah       | 2.0 Ah       | 2.5 Ah       | 3.0 Ah       | 4.0 Ah       | 5.2 Ah       | 6.0 Ah       | 8.0 Ah        |
|------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|---------------|
| <b>&gt;&gt;&gt;</b> 2) | 10-22<br>min | 12-28<br>min | 14-34<br>min | 20-45<br>min | 24-55<br>min | 30-75<br>min | 35-85<br>min | 48-110<br>min |
| <b>&gt;&gt;&gt;</b> 3) | 4 min        | 5 min        | 7 min        | 11 min       | 13 min       | 17 min       | 20 min       | 26 min        |
| <b>&gt;&gt;&gt;</b> 4) | 11-24<br>min | 13-29<br>min | 16-35<br>min | 24-50<br>min | 27-58<br>min | 37-79<br>min | 43-91<br>min | 54-116<br>min |
| <b>&gt;&gt;&gt;</b> 5) | 6 min        | 7 min        | 8 min        | 13 min       | 15 min       | 20 min       | 23 min       | 30 min        |

#### GE-CL 36 Li E

- Max. blow velocity: 210 km/h
- Max. suction power / max. blowing air flow: 720 / 195 m³/h
- Shredding function: 10:1

Article only available without batteries / chargers Art. No. 34.336.00

| (IIII) 1)              | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah |
|------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt;</b> 2) | 9-20   | 10-30  | 13-35  | 17-45  | 22-65  | 27-90  | 30-100 | 44-130 |
|                        | min    |
| <b>&gt;&gt;&gt;</b> 3) | 10-30  | 13-35  | 16-40  | 21-60  | 27-75  | 32-105 | 39-120 | 54-150 |
|                        | min    |

- Battery capacity (2x batteries required)
   Max. operating time per battery charge in idle mode (vacuuming mode) dependent on the selected speed
   Max. operating time per battery charge in idle mode (TURBO vacuuming mode)
   Max. operating time per battery charge in idle mode (blowing mode) dependent on the selected speed
   Max. operating time per battery charge in idle mode im (TURBO blowing mode)

- Incl. one wide suction tube and one narrow blowing tube
- Turbo switch for maximum blowing and vacuuming volume
- Toolless change between suction and blowing function

TWIN-PACK® 18V 1+ 18V 1 36V TECHNOLOGY





- and blowing function
- Electronic speed control







### **CORDLESS LEAF BLOWER 36 V**



- Max. blow velocity: 210 km/h
- Max. blowing air flow: 816 m³/h
   Product weight: 2.5 kg (excl. batteries)

Article only available without batteries / chargers Art. No. 34.336.20

| 1)                     | 1.5 Ah      | 2.0 Ah       | 2.5 Ah       | 3.0 Ah       | 4.0 Ah        | 5.2 Ah        | 6.0 Ah        | 8.0 Ah        |
|------------------------|-------------|--------------|--------------|--------------|---------------|---------------|---------------|---------------|
| <b>&gt;&gt;&gt;</b> 2) | 7-40<br>min | 10-55<br>min | 11-63<br>min | 16-92<br>min | 20-116<br>min | 26-138<br>min | 30-165<br>min | 40-232<br>min |
| <b>&gt;&gt;&gt;</b> 3) | 3 min       | 4 min        | 5 min        | 8 min        | 10 min        | 12 min        | 14 min        | 20 min        |

For best performance select batteries with at least 2.5 Ah

- Battery capacity (2x batteries required)
   Max. operating time per battery charge in idle mode dependent on the selected speed
   Max. operating time per battery charge in idle mode in TURBO mode



### **CORDLESS LEAF BLOWERS 18 V**

#### GP-LB 18/200 Li GK

#### **PROFESSIONAL**

- Max. blow velocity: 200 km/h
- Max. blowing air flow: 670 m³/h
- Product weight: 2.2 kg (excl. battery)

Article only available without batteries / chargers Art. No. 34.335.50

| <b>IIII)</b> 1)        | 1.5 Ah      | 2.0 Ah      | 2.5 Ah      | 3.0 Ah       | 4.0 Ah       | 5.2 Ah       | 6.0 Ah       | 8.0 Ah       |
|------------------------|-------------|-------------|-------------|--------------|--------------|--------------|--------------|--------------|
| <b>&gt;&gt;&gt;</b> 2) | 1-11<br>min | 5-13<br>min | 8-15<br>min | 10-21<br>min | 15-27<br>min | 18-33<br>min | 20-37<br>min | 30-54<br>min |
| <b>&gt;&gt;&gt;</b> 3) | -           | -           | 3 min       | 5 min        | 6 min        | 10 min       | 12 min       | 15 min       |

For best performance select a battery with at least 3.0 Ah



### GP-LB 18/200 Li E

#### **PROFESSIONAL**

- Max. blow velocity: 200 km/h
- Max. blowing air flow: 670 m³/h
- Product weight: 2.2 kg (excl. battery)

Article only available without batteries / chargers Art. No. 34.335.55

|   | 1)                         | 1.5 Ah      | 2.0 Ah      | 2.5 Ah      | 3.0 Ah       | 4.0 Ah       | 5.2 Ah       | 6.0 Ah       | 8.0 Ah       |
|---|----------------------------|-------------|-------------|-------------|--------------|--------------|--------------|--------------|--------------|
|   | <b>&gt;&gt;&gt;&gt;</b> 2) | 1-11<br>min | 5-13<br>min | 8-15<br>min | 10-21<br>min | 15-27<br>min | 18-33<br>min | 20-37<br>min | 30-54<br>min |
| ĺ | <b>&gt;&gt;&gt;</b> 3)     | -           | -           | 3 min       | 5 min        | 6 min        | 10 min       | 12 min       | 15 min       |

For best performance select a battery with at least 3.0 Ah

- 1) Battery capacity
- Disconnection of the selected speed
   Max. operating time per battery charge in idle mode dependent on the selected speed
   Max. operating time per battery charge in idle mode in TURBO mode





### **CORDLESS LEAF BLOWERS 18 V**

CLASSIC GC-CL 18 Li E

Max. blow velocity: 210 km/h

■ Max. blowing air flow: 105 m³/h

■ Idle speed: 1400 - 12000 min<sup>-1</sup>

Incl. 1 battery (18 V | 2.0 Ah | Li-lon) and 1 charger Art. No. 34.335.33 Without battery / charger Art. No. 34.335.32

| (IIII) 1)              | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah |
|------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt;</b> 2) | 10-180 | 14-240 | 16-300 | 20-390 | 26-480 | 40-660 | 42-720 | 52-960 |
|                        | min    |



### **CORDLESS UNIVERSAL BLOWER 18 V**

#### GC-CL 18/1 Li E

CLASSIC

- Max. blow velocity: 210 km/h
- Max. blowing air flow: 105 m³/h
- Idle speed: 1400 12000 min<sup>-1</sup>

Article only available without battery / charger Art. No. 34.335.41

| <b>(1111)</b> 1)       | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah |
|------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt;</b> 2) | 10-180 | 14-240 | 16-300 | 20-390 | 26-480 | 40-660 | 42-720 | 52-960 |
|                        | min    |

Electronic speed control Lightweight and handy design 2-parts tube for universal operation

<sup>1)</sup> Battery capacity

<sup>&</sup>lt;sup>2)</sup> Max. operating time per battery charge in idle mode – dependent on the selected speed



### **CORDLESS PRUNING SAW 18 V**

GE-GS 18 Li

**EXPERT PLUS** 

- Saw blade length: 150 mm
- Cutting capacity with / without branch handle: 70 mm / 90 mm

Article only available without battery / charger Art. No. 34.082.20

|                        |        |        |         |         |         | 5.2 Ah  |         |         |
|------------------------|--------|--------|---------|---------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt;</b> 2) | 70 pcs | 90 pcs | 115 pcs | 140 pcs | 180 pcs | 240 pcs | 280 pcs | 360 pcs |

- Battery capacity
   Max. cuts per battery charge through roundwood with a diameter of 60 mm

- KWB high quality saw blade "Made in Switzerland"
- Blade change without tools
- Long-life metal gearing



### **CORDLESS PRUNING SHEARS 18 V**

GE-LS 18 Li

**EXPERT** 

Max. cutting capacity: 28 mm

Article only available without battery / charger Art. No. 34.083.00

|                        | 1.5 Ah   |          |          |          |          |          |          |          |
|------------------------|----------|----------|----------|----------|----------|----------|----------|----------|
| <b>&gt;&gt;&gt;</b> 2) | 1070 pcs | 1426 pcs | 1783 pcs | 2139 pcs | 2852 pcs | 3708 pcs | 4278 pcs | 5704 pcs |

<sup>1)</sup> Battery capacity



<sup>&</sup>lt;sup>2)</sup> Max. cuts per battery charge through round dry beech wood with a diameter of 15 mm





### CORDLESS GRASS AND SHRUB SHEARS 18 V

#### GF-CG 18/100 Li T

**EXPERT** 

- Cutting width with grass shear blade: 100 mm
- Cutting length with shrub cutting blade: 200 mm
- Spacing between teeth of shrub cutting blade: 8 mm

Article only available without battery / charger Art. No. 34.103.10

|                         |         |         |         |         |         | 5.2 Ah  |         |         |
|-------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt; </b> 2) | 180 min | 240 min | 300 min | 360 min | 480 min | 650 min | 720 min | 960 min |



### GE-CG 18/100 Li

**EXPERT** 

- Cutting width with grass shear blade: 100 mm
- Cutting length with shrub cutting blade: 200 mm
- Spacing between teeth of shrub cutting blade: 8 mm

Article only available without battery / charger Art. No. 34.103.13

|                         | 1.5 Ah  |         |         |         |         |         |         |         |
|-------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt; </b> 2) | 180 min | 240 min | 300 min | 360 min | 480 min | 650 min | 720 min | 960 min |

- Blade change without tools
- Laser-cut and diamond-ground blades
- Covered gearbox protecting customer to get in touch with gear oil

100

Battery capacity
 Max. operating time per battery charge in idle mode





### **CORDLESS GRASS AND SHRUB SHEARS** 18 V

#### GC-CG 18 Li

CLASSIC

- Cutting width with grass shear blade: 100 mm
- Cutting length with shrub cutting blade: 200 mm
- Spacing between teeth of shrub cutting blade: 8 mm

Article only available without battery / charger Art. No. 34.103.70

|                        |         |         |         |         |         | 5.2 Ah  |         |         |
|------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt;</b> 2) | 180 min | 240 min | 300 min | 360 min | 480 min | 650 min | 720 min | 960 min |



### **CORDLESS GRASS SHEARS 18 V**

GC-CG 18/1 Li

CLASSIC

Cutting width with grass shear blade: 100 mm

Article only available without battery / charger Art. No. 34.103.82

|                       | 1.5 Ah  | 2.0 Ah  | 2.5 Ah  | 3.0 Ah  | 4.0 Ah  | 5.2 Ah  | 6.0 Ah  | 8.0 Ah  |
|-----------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt;</b> 2 | 180 min | 240 min | 300 min | 360 min | 480 min | 650 min | 720 min | 960 min |



- Laser-cut and diamond-ground blades
- Metal gear box
- Soft grip perfect handling and grip

Battery capacity
 Max. operating time per battery charge in idle mode





### CORDLESS PRESSURE SPRAYERS 18 V

#### GE-WS 18/150 Li

**EXPERT** 

- Filling capacity of the tank: 15 l
- Max. spraying pressure: 4.5 bar
- Flow rate: 102 l/h
- Pressure hose length: 140 cm

Article only available without battery / charger Art. No. 34,252,30

|                         |     | 2.0 Ah |       |     |     | 5.2 Ah | 6.0 Ah | 8.0 Ah |
|-------------------------|-----|--------|-------|-----|-----|--------|--------|--------|
| <b>&gt;&gt;&gt; </b> 2) | 2 h | 2.5 h  | 3.5 h | 4 h | 5 h | 7 h    | 8.5 h  | 10 h   |

#### **GE-WS 18/75 Li**

**EXPERT** 

- Filling capacity of the tank: 7.5 l
- Max. spraying pressure: 2.5 bar
   Flow rate: 60 l/h
- Pressure hose length: 140 cm

Article only available without battery / charger Art. No. 34,252,20

|                        |     | 2.0 Ah |       |      |      |      |      |      |
|------------------------|-----|--------|-------|------|------|------|------|------|
| <b>&gt;&gt;&gt;</b> 2) | 5 h | 6 h    | 7.5 h | 10 h | 12 h | 16 h | 20 h | 24 h |

#### GE-WS 18/35 Li

**EXPERT** 

- Filling capacity of the tank: 3.5 l
- Max. spraying pressure: 2.5 bar
- Flow rate: 60 l/h
- Pressure hose length: 140 cm

Article only available without battery / charger Art. No. 34.252.10

| <b>IIII</b> 1)             | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah |
|----------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt;&gt;</b> 2) | 5 h    | 6 h    | 7.5 h  | 10 h   | 12 h   | 16 h   | 20 h   | 24 h   |

1) Battery capacity 2) Max. operating time per battery charge in idle mode



- Automatic pump, no manual pressure build-up required
- Transparent tank with scale for checking the level
- Individually adjustable brass nozzle





- Automatic pump, no manual pressure build-up required
- Transparent tank with scale for checking the level
- Individually adjustable brass nozzle

### **ACCESSORIES - BATTERY BELT**



- Multifunctional for 36 V and 18 V devices
- Padded carrying strap
- Large buckle for easy opening and closing

#### GE-PB 36/18 Li

- Number of battery pockets: 2 pcs
  Cable length: 150 cm
  Length of hip belt: 150 cm

Article only available without battery / charger

Art. No. 34.083.10





### CORDLESS GARDEN PUMP 36 V

#### **AOUINNA 36/30**

**EXPERT** 

- Max. delivery capacity / height: 3000 l/h / 26 m
- Max. suction height: 8 m
- Suction / pressure connection: 42 mm (1¼") / 33.3 mm (1")
- Incl.: suction side adapter to reduce to 33.3 mm (1") ET

Article only available without batteries / chargers Art. No. 41.804.00

|                        |        | 2.0 Ah |        |        |        |        |         |         |
|------------------------|--------|--------|--------|--------|--------|--------|---------|---------|
| <b>&gt;&gt;&gt;</b> 2) | 12 min | 15 min | 23 min | 30 min | 35 min | 45 min | 50 min  | 70 min  |
| <b>&gt;&gt;&gt;</b> 3) | 30 min | 35 min | 47 min | 55 min | 70 min | 85 min | 100 min | 140 min |

- Battery capacity (2x batteries required)
   Max. running time in BOOST mode per battery charge
   Max. running time in ECO mode per battery charge



- Water filler screw
- Frost protection due to a water drain screw
- 2-step switch (ECO/BOOST mode)

### **CORDLESS SUBMERSIBLE PRESSURE / RAIN BARREL PUMP 18 V**

#### GE-PP 18 RB Li

**EXPERT** 

- Max. delivery height / pressure: 20 m / 2 bar
- Max. delivery capacity: 3000 l/h
- Max. immersion depth: 4 m

Article only available without battery / charger Art. No. 41.704.29

|                            |        |        |        |        |        |        |        | 8.0 Ah |
|----------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| <b>&gt;&gt;&gt;&gt;</b> 2) | 12 min | 15 min | 20 min | 25 min | 30 min | 35 min | 45 min | 60 min |

- Battery capacity
- 2) Max. operating time per battery charge in idle mode

- Mobile battery box with integrated cable storage holder Infinitely adjustable telescopic connection pipe
- Powerful motor high delivery pressure





### **CORDLESS CLEAR WATER PUMPS 18 V**

GE-SP 18 Li

Max. delivery capacity / height: 5000 l/h / 8 m
Max. immersion depth: 4 m

■ Hose connection: 33.3 mm (G1 ET)

Article only available without battery / charger Art. No. 41.815.00

|                        |        | 2.0 Ah |        |        |        |        |        |         |
|------------------------|--------|--------|--------|--------|--------|--------|--------|---------|
| <b>&gt;&gt;&gt;</b> 2) | 20 min | 30 min | 35 min | 40 min | 60 min | 70 min | 80 min | 120 min |



- Mobile battery box with integrated cable storage holder
- Practical mounting options
- Powerful motor high flow rate

#### GE-SP 18 LL Li

**EXPERT** 

**EXPERT** 

- Max. delivery capacity / height: 4500 l/h / 8 m
- Max. immersion depth: 4 m
- Hose connection: 33.3 mm (G1 ET)

Article only available without battery / charger Art. No. 41.815.60


|   | 1)         | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah | 6.0 Ah | 8.0 Ah  |
|---|------------|--------|--------|--------|--------|--------|--------|--------|---------|
| × | <b>2</b> ) | 20 min | 30 min | 35 min | 40 min | 60 min | 70 min | 80 min | 120 min |

- Mobile battery box with integrated cable storage holder
- Practical mounting options
- Powerful motor low level suction



Battery capacity
 Max. operating time per battery charge in idle mode





### **GAS HOT AIR GENERATOR** WITH RECHARGEABLE BATTERY





- No power supply necessary
- Housing made of stainless steel
- Piezo ignition
- Article only available in Germany and Austria

#### GE-HG 18/370 Niro Li

**EXPERT PLUS** 

- Heating output: 37 kW
  Hot air flow: 1000 m³/h

- Max. gas consumption: 2693 g/hMax. operating pressure: 1.5 bar

Article only available without battery / charger Art. No. 23.308.05

| _                       |        | 2.0 Ah  |         |         |         |         |         |         |
|-------------------------|--------|---------|---------|---------|---------|---------|---------|---------|
| <b>&gt;&gt;&gt; 2</b> ) | 90 min | 140 min | 160 min | 180 min | 280 min | 330 min | 380 min | 560 min |

Battery capacityMax. operating time per battery charge



## **EVEN MORE FREEDOM WITH POWER X-CHANGE. E-KICKSCOOTER ELMOTO KICK FROM GOVECS.**

Einhell opens up its Power X-Change rechargeable battery platform! Together with E-Scooter manufacturer GOVECS, Einhell is helping to get ELMOTO KICK on the road, a road-legal E-Kickscooter with Power X-Change batteries.

With the new E-Kickscooter ELMOTO KICK from GOVECS, emissions-free scooting means you can leave your car at home or park slightly further away and simply jump on the scooter for the last mile.

#### **ELMOTO KICK**



- Approval for road use: yes
- Battery voltage: 2x 18 = 36 V
- Top speed: 20 km/h
- Range: up to 15 km
- Brakes: 2 hydraulic disc brakes
- Size of pneumatic tyres: 10 inches
- Product weight: 15.0 kg (excl. batteries)

Article only available without batteries / chargers Art. No. 48.500.61

The ELMOTO KICK is available in two additional colours at www.govecs.de:





- Particularly sturdy frame and large pneumatic tires with hydraulic disk brakes for superior ride comfort and highest safety
- LCD display speed, battery status, range
- **■** Folding handlebar with lock and carry function





### **ACCESSORIES – BATTERIES**









### 5-8 Ah Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 8.0 Ah or 5.0 Ah (depending on the application)
- Battery power: max. 1350 W

Art. No. 45.116.00











- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 6.0 Ah or 4.0 Ah (depending on the application)
- Battery power: max. 1350 W

Art. No. 45.115.02

### IT'S YOUR CHOICE.





### WHAT DOES MULTI-AH MEAN?

Thanks to MULTI-Ah technology, switching over from a 5 Ah battery to a 8 Ah battery is really easy and can be done with just the push of a button. The 5 Ah battery has a 3x longer total service life and is suitable for lighter applications (e.g. cordless lamp or cordless screwdriver). The 8 Ah battery offers the maximum running time for more capacity-intensive applications (e.g. cordless lawn mower or cordless wet and dry vacuum cleaners).

5 Ah 300% more service life 1)

8 Ah 60% more running time 2

<sup>1)</sup> In comparison to every standard lithium-ion battery

<sup>2)</sup> In comparison to the 5 Ah battery



### **ACCESSORIES - BATTERIES**







### 5.2 Ah Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 5.2 Ah
- Battery power: max. 1260 W

Art. No. 45.114.37







#### 4.0 Ah Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 4.0 Ah
- Battery power: max. 900 W

Art. No. 45.115.53







### 3.0 Ah Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 3.0 Ah
- Battery power: max. 900 W

Art. No. 45.115.01





#### 4.0 Ah Power X-Change Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 4.0 Ah
- Battery power: max. 900 W

Art. No. 45.113.96





#### 2.5 Ah Power X-Change Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 2.5 Ah
- Battery power: max. 720 W

Art. No. 45.115.16







#### 2.0 Ah Power X-Change Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 2.0 Ah
- Battery power: max. 450 W

Art. No. 45.113.95




# 4.0 Ah BATTERY – 4.0 Ah PLUS BATTERY. WHERE'S THE DIFFERENCE?

By switching to the new "21700" cell format (21 mm diameter, 70.0 mm length) our latest Power X-Change batteries have acquired the best combination of power/running time and weight.

Why? Using this cell technology it is possible to achieve the same power and running time with five cells instead of the previous ten.

Benefits? The new batteries are 12% lighter and 13% more compact than their predecessors – at 100% power and running time.

Results: Light-weight all-rounders for energy-intensive applications such as in cordless chainsaws.



### **ACCESSORIES - TWIN PACKS**









#### 2x 5.2 Ah Power X-Change Twin Pack

- Items supplied: 2 batteries
- Battery voltage / capacity: 2x 18 V / 5.2 Ah
- Battery power: max. 2x 1260 W

Art. No. 45.115.26







#### 2x 4.0 Ah Power X-Change Twin Pack

- Items supplied: 2 batteries
- Battery voltage / capacity: 2x 18 V / 4.0 Ah
- Battery power: max. 2x 900 W

Art. No. 45.114.89







#### 2x 2.5 Ah Power X-Change Twin Pack

- Items supplied: 2 batteries
- Battery voltage / capacity: 2x 18 V / 2.5 Ah
- Battery power: max. 2x 720 W

Art. No. 45.115.24



### **ACCESSORIES - STARTER KITS**







#### 2x 4.0 Ah PXC Twincharger Starter Kit

- Items supplied: 2 batteries + 1 Twincharger
- Battery voltage / capacity: 2x 18 V / 2x 4.0 Ah
- Battery power: max. 2x 900 W

Art. No. 45.121.12







### 2x 3.0 Ah PXC Twincharger Starter Kit

- Items supplied: 2 batteries + 1 Twincharger
- Battery voltage / capacity: 2x 18 V / 2x 3.0 Ah
- Battery power: max. 2x 900 W

Art. No. 45.120.83



**Ready To Go** means: The battery is ready for use. It can remain in the charger for full, low-stress charging up to 100 %.







#### 5.2 Ah PXC Fastcharger Starter Kit

- Items supplied: 1 battery + 1 Power X-Fastcharger 4 A
- Battery voltage / capacity: 18 V / 5.2 Ah
- Battery power: max. 1260 W

Art. No. 45.121.14









#### 4.0 Ah Power X-Change Starter Kit

- Items supplied: 1 battery + 1 Power X-Charger 3 A
- Battery voltage / capacity: 18 V / 4.0 Ah
- Battery power: max. 900 W

Art. No. 45.120.42







#### 2.5 Ah Power X-Change Starter Kit

- Items supplied: 1 battery + 1 Power X-Charger 3 A
- Battery voltage / capacity: 18 V / 2.5 Ah
- Battery power: max. 720 W

Art. No. 45.120.97





### **ACCESSORIES - BATTERY STORAGE**

#### **Battery Mounting Gadget**

- Items supplied: 2 battery mounting gadgets, 4 screws, 4 dowels
   Can be used for: for all Power X-Change batteries

Art. No. 45.141.55



- Endless extendable to store an unlimited amount of batteries
- Simple assembling due to tongue and groove connection
- Snap-in function for battery ensures fixation in any position



### **ACCESSORIES - CHARGERS**





- Multi charger for parallel charging of up to 4 batteries
- Always charge two batteries at the same time
- Carrying handle for easy transport

#### 2x2 Power X-Quattro Charger 4 A

- Items supplied: 1 charger
- Can be used for: for all Power X-Change batteries
- Charging current: 4 A per slot (2x2 parallel charging)

Art. No. 45.121.02



### **ACCESSORIES - CHARGERS**

- **■** Extremely fast charging time
- Integrated wall mount



- Items supplied: 1 charger
- Can be used for: for all Power X-Change batteries
- Charging current: 3 6 A
- Boost mode: 6 A can be selected for lightning speed

Art. No. 45.120.64

- Always charge two batteries at the same time
- Integrated wall mount

### Power X-Twincharger 3 A

- Items supplied: 1 charger
- Can be used for: for all Power X-Change batteries
- Charging current: 3 A per slot (parallel charging)

Art. No. 45.120.69

Integrated wall mount

#### Power X-Fastcharger 4 A

- Items supplied: 1 charger
- Can be used for: for all Power X-Change batteries
- Charging current: 4 A

Art. No. 45.121.03



## OUT-AND-ABOUT AND NO POWER SOCKET AVAILABLE? NO PROBLEM THANKS TO FINHELL!

- 12 V-socket enables charging the Power X-Change battery in the car
- Protection electronics for the car battery

### Power X-Car Charger 3 A

- Items supplied: 1 charger
- Can be used for: for all Power X-Change batteries
- Charging current: 3 A

Art. No. 45.121.13

#### **POWER X-CAR CHARGER**

PROTECTION ELECTRONICS FOR THE CAR BATTERY





#### 1. The car battery is weak:

Charging stops and both indicator lights blink in alternation – the car battery is protected from further discharge.

In this state the car can still be started.

### 2. The car battery is empty:

The indicator lights go out – the car battery is protected from exhaustive discharge.

| CHARGING TIMES  |        |        |        |        |        |         |         |           |                  |
|---|--------|--------|--------|--------|--------|---------|---------|-----------|------------------|
| CHARGING TIMES  | 1.5 Ah | 2.0 Ah | 2.5 Ah | 3.0 Ah | 4.0 Ah | 5.2 Ah  | 6.0 Ah  | 8.0 Ah    |                  |
| Power X-Charger 3 A   |        |        |        |        |        |         |         |           | Shorter charging |
| Power X-Twincharger 3 A (parallel charging of 2 batteries)        | 30 min | 40 min | 50 min | 60 min | 75 min | 100 min | 120 min | 150 min   | time             |
| Power X-Car Charger 3 A   |        |        |        |        |        |         |         |           |                  |
| Power X-Fastcharger 4 A   |        |        |        |        |        |         |         |           | -25%             |
| 2x2 Power X-Quattrocharger 4 A (parallel charging of 2 batteries) | 24 min | 30 min | 37 min | 45 min | 60 min | 80 min  | 90 min  | 120 min ≺ | -50%             |
| Power X-Boostcharger 6 A  | 24 min | 30 min | 27 min | 32 min | 40 min | 50 min  | 60 min  | 80 min ◀  |                  |









CRAZY DIY THE TINKERER FRANK THE BOSS OLIVER KAHN THE CLIENT SKYE The cool

THE MUSCLE





### **Einhell Germany AG**

Wiesenweg 22 94405 Landau/Isar Germany

info@einhell.de www.einhell.de

### **Einhell Service**

Eschenstr. 6 94405 Landau/Isar Germany

Tel. +49 (0) 9951 959 2000

Service-DE@einhell.com www.einhell-service.de

einhell.de

ll.de >>>